

LIDA LOCK

PRODUCTS CATALOGUE

产品选型手册



www.lidalock.com



乐清市利达锁具有限公司
YUEQING LIDA LOCK CO., LTD.



CNLD® 利达

乐清市利达锁具有限公司

地址：浙江省乐清市柳市新光工业区振兴路 18 号

电话：0577-62751366 62758366

传真：0577-62758363

手机：13706778529

邮箱：lidalock@aliyun.com

网址：www.lidalock.com

销售一部：

浙江省乐清市柳市镇环城东路 492 号

销售二部：

浙江省乐清市柳市镇新市街 62 号

△ 此样本资料由乐清市利达锁具有限公司印制，仅用于说明本系列产品的相关信息。利达锁具随时可能因技术升级或采用更新的生产工艺而改进本手册有关内容，或对本手册的印刷错误及不准确的信息进行必要的改进和更改，恕不另行通知。商家订货时请随时联系本公司技术部，以证实相关信息。
We reserve the right to make technical changes or modify the contents of this document without prior notice. All the agreed particulars shall prevail. All Right Reserved.

♻️ 采用环保纸印刷
Use of environmentally friendly printing paper

© 乐清市利达锁具有限公司版权所有
Yueqing Lida Lock Co., Ltd. All Right Reserved

鼎岳传媒 全球定制平台
Tel: 180 5833 8622



扫描浏览电子样本



Yueqing Lida Lock Co., Ltd., founded in the 1980s, is a comprehensive enterprise integrating technology, industry and trade. The company is located in Liushi, which enjoys the reputation of "Electric Capital", and has convenient transportation. After more than 20 years of continuous improvement and continuous improvement, we have advanced production equipment and an elite team with more than hundreds of professional and technical personnel

Yueqing Lida Lock is dedicated to producing various MS300-900 series high and low voltage switch cabinet door locks, electrical box door locks, instrument cabinet door locks, communication cabinet door locks and other cabinet door locks and hinges. It is a professional manufacturer integrating product research, development, production and sales, from product design and mold making. Product die-casting, stamping, surface treatment to assembly, and strict inspection and control of each process. All employees of Leader adhere to the service tenet of "Customer Satisfaction", and providing customers with "zero defect" products is the unremitting goal of each employee of the company. Leader always holds quality first, service first, and serves customers Create value concept, provide customers with multiple solutions to meet the different needs of customers, at the same time strive to improve internal competitiveness, and provide customers with products on time, quality and quantity. In the end, we will achieve a win-win situation for our customers and us.

Chairman of Lida Locks: Xu Jiansheng sincerely welcomes your presence and cooperation here!

企业简介

Company Profile

乐清市利达锁具有限公司, 创建于 80 年代, 是一家集科技、工业、贸易于一体的综合性企业。公司坐落于享有“电器之都”美称的柳市, 交通便利。经过二十几年的持续改进和不断完善, 拥有先进的生产设备, 并拥有了一支具有数百多个专业技术人员的精英团队

乐清市利达锁具专心致力于生产各种 MS300-900 系列高、低压开关柜门锁, 电器箱门锁, 仪表柜门锁、通讯柜门锁等柜体的门锁、铰链等电柜附件, 是集产品研制、开发、生产、销售于一体的专业厂家, 从产品设计、模具制作。产品压铸、冲制、表面处理到装配, 对每一个环节各工序进行严格的检测和管控。利达所有员工坚持“顾客满意”的服务宗旨, 为顾客提供“零缺陷”的产品是公司每位员工始终不渝的奋斗目标, 利达人始终抱着质量第一、服务第一、为客户创造价值理念, 为客户提供多种解决方案, 满足客户的不同需求, 同时努力提高内部竞争力, 按时、保质、保量为客户提供产品。最终实现客户和我们的双赢。

利达锁具董事长: 徐建胜在这里真诚的欢迎您的光临与合作!





生产设备


Production equipment


公司拥有国内先进的生产检测设备，严格按照国家标准组织生产，从原材料购进到成品出库实行全过程控制制定以客户需求为中心以生产管理为基础，持续改进质量体系，提供用户满意产品”的质量方针。



The company has domestic advanced production and testing equipment, in strict accordance with the national standards organization of production, from the purchase of raw materials to the finished product to the whole process control to develop customer demand as the center to the production management as the basis, continuous improvement of quality system, quality policy to provide customer satisfaction products ”.




转舌锁系列
Turn the
tongue lock
series












“诚招天下客，誉从质中来”。长期以来，公司十分注重与客户的友好合作，保证品质与服务，珍视荣誉，从而赢得了客户的信赖与支持。与朋友广泛合作，共享繁荣，也成为我们自真诚的追求。

Sincerely to maintaining truthful, reputation from quality". For a long time, the company pays attention to the friendly Cooperation with customers, ensure the quality and service, Cherishes honor, to win the customers trust and support. Extensive cooperation with friends, Shared prosperity, have become our sincere pursuit.






转舌锁系列

TURN THE TONGUE LOCK SERIES

www.lidalock.com

该系列产品采用的稀土高能永磁材料，起体积小磁力强，百年自然消磁不超过万分之一，具有永久性和可靠性。可根据客户要求订做！
材质与表面处理：锁体为锌合金，锁面抛光镀铬；拨片锁舌为镀锌钢板。钥匙为磁芯钥匙，表面镀铬。
规格：Φ18X24 止口高度 24mm 拨片锁舌可根据客户要求订做。
本锁可配三点钢栓，接连杆，实现天地锁（连杆锁）功能。




主材料：锌 / 铝合金
表面处理：镀铬、亮光、亚黑
结构说明：旋转锁芯 90 度，实现开启或锁闭
适用门板厚度：1-5mm
Main material: zinc/aluminum alloy
Surface treatment: Chrome, gloss, matte black
Structure description: Rotate the lock cylinder 90 degrees to open or lock
Applicable door panel thickness: 1-5mm



MS406 MS705



MS705 四方锁芯 MS705 一字锁芯



主材料：锌 / 铝合金
表面处理：喷砂、镀铬
结构说明：旋转锁芯 90 度，实现开启或锁闭
Main material: zinc/aluminum alloy
Surface treatment: Sandblasted, chrome-plated
Structure description: Rotate the lock cylinder 90 degrees to open or lock



MS705-3A 一字锁芯




MS705-3A 三角


转舌锁系列



MS705-3B



主材料：锌 / 铝合金
表面处理：亮光铬
结构说明：旋转锁芯 90 度，实现开启或锁闭
备注：带挂系装置
Main material: zinc/aluminum alloy
Surface treatment: Gloss Chrome
Structure description: Rotate the lock cylinder 90 degrees to open or lock
Remarks: with hanging device



主材料：4# 锌合金
表面处理：亮光铬
功能及用途：适用于工具箱、文件柜、仪表箱等
Main material: 4# Zinc Alloy;
Surface treatment: Gloss Chrome
Function and use: suitable for tool box, file cabinet, meter box, etc.




MS704-1




MS704-1A



MS705-4A



主材料：4# 锌合金
表面处理：喷砂、镀铬
结构说明：旋转锁芯 90 度，实现开启或锁闭
备注：带挂系装置
Main material: 4# Zinc Alloy;
Surface treatment: Sandblasted, chrome-plated
Structure description: Rotate the lock cylinder 90 degrees to open or lock
Remarks: with hanging device.



主材料：4# 锌合金
表面处理：亮光铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭，可实现左右通开
Main material: 4# Zinc Alloy;
Surface treatment: Gloss Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right.




MS704-1B


Sold out



MS715-1



主材料: 4# 锌合金
 表面处理: 亮光铬
 功能及用途: 适用于工具箱、文件柜、仪表箱等。
 通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
 Main material: 4# Zinc Alloy;
 Surface treatment: Gloss Chrome
 Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
 By turning the key 90 degrees to open and lock the switch,
 the lock plate can be opened left and right.




主材料: PA 基座 / 锌合金铝芯
 表面处理: 米灰色
 功能及用途: 适用于工具箱、文件柜、仪表箱等
 通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
 Main material: PA base / zinc alloy aluminum core;
 Surface treatment: Beige
 Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
 By turning the key 90 degrees to open and lock the switch,
 the lock plate can be opened left and right.




MS813



MS715-2



主材料: 4# 锌合金 / 铝合金基座 / PA 手柄
 表面处理: 亮光铬、亚光黑
 功能及用途: 适用于工具箱、文件柜、仪表箱等
 通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
 Main material: 4 # zinc alloy / aluminum alloy base / PA handle
 Surface treatment: Gloss Chrome, Matt Black
 Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
 By turning the key 90 degrees to open and lock the switch,
 the lock plate can be opened left and right.




主材料: PA 基座 / 4# 锌合金铝芯
 表面处理: 黑色、米黄色
 功能及用途: 适用于工具箱、文件柜、仪表箱等
 通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
 Main material: PA base / 4 # zinc alloy aluminum core
 Surface treatment: Black, beige
 Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
 By turning the key 90 degrees to open and lock the switch,
 the lock plate can be opened left and right.




MS705-4



MS705-5



主材料：PA 基座 / 4# 锌合金锁芯 / 刚栓；
表面处理：黑色；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: PA base / 4 # zinc alloy lock cylinder / rigid bolt
Surface treatment: Black
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right.



主材料：4# 锌合金；
表面处理：黑色、亚光；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy;
Surface treatment: Black, matte;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right.



MS817 黑




MS817 镀铬




MS816




MS816 镀铬



主材料：4# 锌合金；
表面处理：镀铬、黑色；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy;
Surface treatment: Chrome, black;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right.




主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right.




MS706



MS710



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
Turn by 90 degrees with the key to open




主材料：4# 锌合金；
表面处理：黑色；
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启
Main material: 4# Zinc Alloy;
Surface treatment: Black;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
Turn by 90 degrees with the key to open




MS815-1



MS762



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
Turn by 90 degrees with the key to open




主材料：4# 锌合金
表面处理：黑色
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启
Main material: 4# Zinc Alloy;
Surface treatment: Black;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
Turn by 90 degrees with the key to open




MS815-2



MS815-3



主材料：4# 锌合金；
表面处理：黑色；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启
Main material: 4# Zinc Alloy;
Surface treatment: Black;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right.



特征描述	产品型号
单面齿锁芯	MS401-S
双面齿锁芯	MS401-D

主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right.




MS401


转舌锁系列



MS422



主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right.




主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right.




MS401-3C



MS401-C



主材料：4# 锌合金
表面处理：亮光铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: bright chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right.




主材料：4# 锌合金
表面处理：亮光铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy;
Surface treatment: bright chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right.




MS400-2-L



MS400-1-L



主材料：4# 锌合金
表面处理：亮光铬
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy
Surface treatment: bright chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right.




主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right.




MS403



MS402



主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
Turn by 90 degrees with the key to open




MS403-A-B




MS403-A

锌合金 / 半铁



主材料：4# 锌合金 / 半铁
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启
Main material: 4# Zinc Alloy / Half iron
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
Turn by 90 degrees with the key to open




主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
Turn by 90 degrees with the key to open




MS405-A



MS407



主材料: 4# 锌合金
表面处理: 镀铬, 喷塑黑
功能及用途: 适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启
Main material: 4# Zinc Alloy
Surface treatment: Chrome, Spray black
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
Turn by 90 degrees with the key to open




主材料: 4# 锌合金
表面处理: 镀铬
功能及用途: 适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭合切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




MS412



MS413



主材料: 4# 锌合金
表面处理: 喷砂、镀铬
功能及用途: 适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭合切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Sandblasted, chrome-plated
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




主材料: PA 基座 / 4# 锌合金锁芯
表面处理: 黑色
功能及用途: 适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭合切换锁片可实现左右通开
Main material: PA base / 4 # zinc alloy lock cylinder
Surface treatment: Black
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




MS415



MS88A-A



主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
Turn by 90 degrees with the key to open




主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




MS88A-20



MS808



主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




MS88A-25



MS88A-30



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭合切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭合切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




MS730



MS720



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭合切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right



主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭合切换锁片可实现左右通开。
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




MS751




MS752

企业锁 (基业锁)



主材料: PA
表面处理: 黑色
功能及用途: 适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: PA
Surface treatment: Black;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right



主材料: PA
表面处理: 黑色
功能及用途: 适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: PA
Surface treatment: Black;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right




MS753-3

多米诺 (后门)




MS753-2

多米诺 (前门)



主材料: PA;
表面处理: 黑色;
功能及用途: 适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: PA
Surface treatment: Black
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right



主材料: 锌合金手柄 / PA 基座;
表面处理: 镀铬;
功能及用途: 适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。
Main material: Zinc alloy handle / PA base
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right




MS753


多米诺 (多米诺新型)



LD-20M(MS756-1)



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right




主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right




JXS-1(757-1)



MS756-2



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right




主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right




JXS-2(757-2)



MS705-K



主材料：4# 锌合金
表面处理：孔雀绿
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Malachite green
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




MS705-2M



MS705-M



主材料：4# 锌合金
表面处理：亮光铬 / 喷砂镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Gloss Chrome / Sandblasted Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




MS812-1



MS812-2



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭合切换锁片可实现左右通开
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right



主材料：4# 锌合金
表面处理：黑色
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭合切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Black
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




MS324-2




MS825



MS826



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭合切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭合切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right



MS18-20
弹子锁




MS 弹子锁



产品型号	A	B	C	H	D	E
M18-16	21.5	16.5	18	16	16.5	18.5
M20-16	23.5	18.5	20	16	18.5	20.5
M22-16	28	20.5	22	16	20.5	22.5

主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




MS913




MS330



主材料：A3, 钢
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: A3, Steel
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right



MS816-E




MS714-3



主材料：4 # 锌合金
表面处理：麻面黑
功能及用途：把手旋转 90 度开启、锁闭
多种锁片供参考选择。带塑料拉手

Main material: 4# Zinc Alloy
Surface treatment: Matte black
Function and use: Handle is rotated 90 degrees open, J locked
Choose a variety of locking plate for reference. With plastic handle



主材料：4 # 锌合金、塑料外壳；
表面处理：黑色、灰色；
功能及用途：适用于工具箱、文件柜、仪表箱等。
手柄旋转 90 度开启、锁闭和切换锁片可实现左右通开。


Main material: 4# Zinc Alloy, Plastic housing;
Surface treatment: Black, Gray;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes. The
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right



MS414




MS418



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适用于工具箱、文件柜、仪表箱等
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开

Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instruments, etc.
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right



主材料：碳钢
表面处理：亮光铬
功能及用途
360°旋转实现开启、锁闭

The main material: Carbon steel
Surface treatment: Gloss Chrome
Function and use
360 degree rotation to achieve open, Jlosed




MS704-1


高压柜锁



MS434



主材料：4 # 锌合金、塑料外壳；
表面处理：黑色；
功能及用途：适用于工具箱、文件柜、仪表箱等。
手柄旋转 90 度开启、锁闭和切换锁片可实现左右通开。
Main material: 4# Zinc Alloy, Plastic housing;
Surface treatment: Black;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




主材料：4# 锌合金
表面处理：镀铬
结构说明：旋转锁芯 90 度，实现开启或锁闭
Main material: 4# Zinc Alloy;
Surface treatment: Chrome
Structure description: Rotate the lock cylinder 90 degrees to open or lock




MS705-3C



MS704-3A-D



主材料：4# 锌合金
表面处理：蓝灰色
结构说明：旋转锁芯 90 度，实现开启或锁闭
备注：带挂系装置
Main material: 4# Zinc Alloy;
Surface treatment: Grey blue
Structure description: Rotate the lock cylinder 90 degrees to open or lock;
Remarks: with hanging device.



主材料：4# 锌合金
表面处理：镀铬
结构说明：旋转锁芯 90 度，实现开启或锁闭
Main material: 4# Zinc Alloy;
Surface treatment: Chrome
Structure description: Rotate the lock cylinder 90 degrees to open or lock




MS705-3H



抽屉锁 -A



抽屉锁 -B



主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。

Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right



手柄锁系列

HANDLE LOCK SERIES

www.lidalock.com


本实用新型公开了一种可方便地调整把手方向的杆状把手型门锁，以使其既适于左开门，也适于右开门。所述的手柄型门锁，由锁体、锁芯、锁舌、两端转轴及把手组成，自锁体向外伸出的转轴的截面为多边形，与转轴相配的杆状把手的内孔是与转轴横截面相应的多边形孔。



抽屉锁 -C



抽屉锁 -D



主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适用于工具箱、文件柜、仪表箱等。
通过钥匙旋转 90 度开启、锁闭切换锁片可实现左右通开。


Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right



MS301 MS301-2



MS301-A MS301-N





301, 301-N手柄长度图

301,301-N区别图

主材料: 4# 锌合金 / 铝合金
表面处理: 镀铬
功能及用途: 适应单点闭锁, 可供两点、三点锁闭使用
实现左、右开启功能, 旋转 90 度

Main material: 4# Zinc Alloy/Aluminum alloy
Surface treatment: Chrome
Function and use: To to a single point of locking, for two, three lock to use
Realize left and right opening function, rotate 90 degrees



主材料: 4# 锌合金 / 铝合金
表面处理: 镀铬
功能及用途: 适应单点闭锁, 可供两点、三点锁闭使用
实现左、右开启功能, 旋转 90 度


Main material: 4# Zinc Alloy/Aluminum alloy
Surface treatment: Chrome
Function and use: To to a single point of locking, for two, three lock to use
To achieve the right and left turn capabilities, rotate 90 degrees



MS303 MS303-2




MS303-A MS303-N



主材料: 4# 锌合金 / 铝合金
表面处理: 镀铬
功能及用途: 适应单点闭锁, 可供两点、三点锁闭使用
实现左、右开启功能, 旋转 90 度

Main material: 4# Zinc Alloy/Aluminum alloy
Surface treatment: Chrome
Function and use: To to a single point of locking, for two, three lock to use
Realize left and right opening function, rotate 90 degrees



主材料: 4# 锌合金 / 铝合金
表面处理: 镀铬
功能及用途: 适应单点闭锁, 可供两点、三点锁闭使用
实现左、右开启功能, 旋转 90 度

Main material: 4# Zinc Alloy/Aluminum alloy
Surface treatment: Chrome
Function and use: To to a single point of locking, for two, three lock to use
Realize left and right opening function, rotate 90 degrees



MS304





MS304-A MS304-N




MS305



MS305-A




305区别图1



305区别图2

主材料: 4# 锌合金 / 铝合金
表面处理: 镀铬
功能及用途: 适应单点闭锁, 可供两点、三点锁闭使用
实现左、右开启功能, 旋转 90 度
Main material: 4# Zinc Alloy/Aluminum alloy
Surface treatment: Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees



主材料: 4# 锌合金;
表面处理: 镀铬;
功能及用途: 适应单点闭锁, 可供两点、三点锁闭使用。
实现左、右开启功能, 旋转 60 度。螺杆式转轴可调锁片止口高度, 活动式防尘盖防水性强。
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 60 degrees.
The screw-type rotating shaft can adjust the height of the locking flap,
and the movable dust cover is highly waterproof.




MS306-2-1




MS306-1-1



MS306-1A-1



主材料: 锌、铝合金;
表面处理: 表面镀铬、亮光
结构说明: 旋转把手 60 度, 实现开启或锁闭
适用门板厚度: 1-10mm
Main material: zinc, aluminum alloy;
Surface treatment: chrome plating, bright light
Structure description: Rotate the handle 60 degrees to realize opening or locking
Applicable door panel thickness: 1-10mm




主材料: 4# 锌合金;
表面处理: 镀铬;
功能及用途: 适应单点闭锁, 可供两点、三点锁闭使用。
实现左、右开启功能, 旋转 60 度。螺杆式转轴可调锁片止口高度, 活动式防尘盖防水性强。
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 60 degrees.
The screw-type rotating shaft can adjust the height of the locking flap,
and the movable dust cover is highly waterproof.




MS307



MS308-2



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees



主材料：4# 锌合金 / 铝合金
表面处理：镀铬
功能及用途：适应单点闭锁，可供两点、三点锁闭使用。
实现左、右开启功能，旋转 90 度。
Main material: 4# Zinc Alloy / Aluminum alloy
Surface treatment: Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees




MS308-4


手柄锁系列



MS308-3



主材料：4# 锌合金 / 铝合金
表面处理：镀铬
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度
Main material: 4# Zinc Alloy / Aluminum alloy
Surface treatment: Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees




MS309


MS308-3 铜锁芯



A-19



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees




A17-1-1




A17-2-1



A-45



主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适应单点闭锁，可供两点、三点锁闭使用。
实现左、右开启功能，旋转 90 度。
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees



主材料：4# 锌合金；
表面处理：亮光铬；
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度
Main material: 4# Zinc Alloy
Surface treatment: Gloss Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees



MS316







MS312




MS314




MS315



主材料：4# 锌合金
表面处理：亮光铬
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度
Main material: 4# Zinc Alloy
Surface treatment: Gloss Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees



主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适应单点闭锁，可供两点、三点锁闭使用。
实现左、右开启功能，旋转 90 度。
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degree



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degree




MS18-1-1




AB701-3-1



AB701-3-G



主材料：4# 锌合金
表面处理：镀铬
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees




主材料：4# 锌合金；
表面处理：镀铬
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度。
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees




MS324-1



MS317



主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：适应单点闭锁，可供两点、三点锁闭使用。
实现左、右开启功能，旋转 90 度。
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees




主材料：4# 锌合金
表面处理：麻面黑
实现左、右开启功能，旋转 90 度
Main material: 4 # zinc alloy
Surface treatment: Matte black
Realize left and right opening function, rotate 90 degrees




MS324-3



MS868



主材料：铝合金 / 锌合金
表面处理：黑色
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度
Main material: Aluminum alloy/Zinc alloy
Surface treatment: Black
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees




主材料：4# 锌合金
表面处理：蓝灰
功能及用途：适应单点闭锁，可供两点、三点锁闭使用
实现左、右开启功能，旋转 90 度
Main material: 4# Zinc Alloy
Surface treatment: Blue gray
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees




MS877-2



MS877-1




主材料：铝合金
表面处理：黑色
实现左、右开启功能，旋转 90 度
Main material: Aluminum alloy
Surface treatment: Black
Realize left and right opening function, rotate 90 degrees



主材料：塑料
表面处理：亚黑、深蓝
功能及用途：适用各种中、高档推拉门、工具箱、配电柜等拉手
The main material: Plastic
Surface treatment: Asian black, Deep Blue
Function and use: Suitable for various middle and high-grade sliding doors, tool boxes, power distribution cabinets and other handles




MS877-3



主材料：不锈钢
表面处理：镜面抛光；
功能及用途：适用于工具箱、文件柜、仪表箱等
手柄旋转 90 度开启、锁闭和切换锁片可实现左右通开
Main material: stainless steel;
Surface treatment: mirror reflection;
Function and use: suitable for tool box, file cabinet, meter box, etc
The handle rotates 90 degrees to open, lock and switch the lock plate to achieve left and right opening



MS857



主材料：A3 钢
表面处理：麻面黑
功能及用途：适用于工具箱、文件柜、仪表箱等
手柄旋转 90 度开启、锁闭和切换锁片可实现左右通开
Main material: A3 steel
Surface treatment: Matte black
Function and use: suitable for tool box, file cabinet, meter box, etc
The handle rotates 90 degrees to open, lock and switch the lock plate to achieve left and right opening



MS886-3

平板锁系列


FLAT LOCK SERIES

www.lidalock.com

面板锁属于一种冲压件，是铁的，一般都是成套的。属于五金门锁领域，提供一种面板锁的面板构造，所采用的技术方案为：设有壳体 and 内衬，所述壳体由彩钢板冲压而成，侧边设有铆压片；所述内衬由树脂注塑成型，所述内衬内设有嵌孔，嵌孔内嵌入螺栓或螺母；或者使用镶嵌件注塑工艺，将螺栓或螺母嵌入注塑模具内，内衬注塑成形时即将螺栓或螺母包覆在内。




MS866-5



主材料: A3 钢;
表面处理: 麻面黑
功能及用途: 适用于工具箱、文件柜、仪表箱等。
手柄旋转 90 度开启、锁闭和切换锁片可实现左右通开。
Main material: A3 steel;
Surface treatment: Black;
Function and use: suitable for tool box, file cabinet, meter box, etc
The handle rotates 90 degrees to open, lock and switch the lock plate to achieve left and right opening



MS858-1



主材料: 锌合金、不锈钢
表面处理: 麻面黑
功能及用途: 适用于工具箱、文件柜、仪表箱等
手柄旋转 90 度开启、锁闭和切换锁片可实现左右通开
Main material: Zinc alloy, stainless;
Surface treatment: Black;
Function and use: suitable for tool box, file cabinet, meter box, etc
The handle rotates 90 degrees to open, lock and switch the lock plate to achieve left and right opening



平面锁系列


FLAT LOCK SERIES

www.lidalock.com


平面锁是一种具有锁结构的按钮式平面把手装置, 该装置包括以下部分: 固定于门扉的壳体及可转动但不能沿轴向移动地嵌插在壳体的一端部的轴筒部内, 并在后端部固定有止动板的上锁轴。



MS603-1 MS603-1H




MS603-2 MS603-2H



产品型号	A	B	C
短基座, 砂铬	85	72	62
长基座, 砂铬	115	100	90

主材料: 4# 锌合金
表面处理: 喷砂镀铬、黑色
功能及用途: 外形美观、超薄形平面
按钮式小型配电箱锁。
Main material: 4# Zinc Alloy
Surface treatment: Sandblasted chrome, black
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




主材料: 4# 锌合金
表面处理: 镀铬
功能及用途: 外形美观、超薄形平面
按钮式小型配电箱锁。
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




MS501



MS380-3



主材料: 4# 锌合金
表面处理: 亚光黑、亮光铬、纳米亚光;
功能及用途: 外形美观、超薄形平面。拉钮式, 防水性能强。
附件系列内有多种锁片供参考选用。
Main material: 4 # zinc alloy
Surface treatment: matt black, bright chrome, nano matt
Function and use: beautiful appearance, ultra-thin plane
Push button type, strong waterproof performance
There are a variety of locks in the accessory series for reference




主材料: 4# 锌合金
表面处理: 镀铬
功能及用途: 外形美观、超薄形平面
按钮式小型配电箱锁。
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




MS503



MS503-2



主材料：4# 锌合金
表面处理：镀铬
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock



主材料：4# 锌合金
表面处理：镀铬
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




MS504




MS490-1 黑 MS490-1 白



MS490-2 黑 MS490-2 白



主材料：4# 锌合金
表面处理：亚光、黑色
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Matt, black
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock



主材料：4# 锌合金
表面处理：镀铬
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




MS505




MS505-1



MS507




主材料: 4# 锌合金
表面处理: 镀铬
功能及用途: 外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock



主材料: 4# 锌合金
表面处理: 镀铬
功能及用途: 外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy;
Surface treatment: Chrome;
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




MS509-1




MS509-2



MS508



主材料: 4# 锌合金
表面处理: 镀铬
功能及用途: 外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock



主材料: 4# 锌合金
表面处理: 黑色、亮光铬
功能及用途: 外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Black, Gloss Chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




MS606




MS606-2



MS726



主材料：4# 锌合金
表面处理：黑色
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy;
Surface treatment: Black;
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock



主材料：锌 / 铝合金
表面处理：纳米亚光
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: Zinc / Aluminum alloy
Surface treatment: Nano Matt
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




MS732




MS732-2



MS718-1



主材料：4# 锌合金
表面处理：镀铬
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock



主材料：4# 锌合金
表面处理：黑色
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Black
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




MS834-5



AB301




AB302



型号	A	B	C	D	E	F	L
AB301	33	178	21	11	14	26.5	117
AB302	30	120	19	8	12	23.5	95.5

主材料：锌 / 铝合金
表面处理：纳米亚光
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: Zinc / Aluminum alloy
Surface treatment: Nano Matt
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock



型号	A	B	C	D	L	W
AB401-1	40	151	33.5	29.5	117	26.5
AB401-2	36.5	123	31	29.5	95.5	23.5
AB401-3	33.5	93	26	28	63.5	23.5

主材料：4# 锌合金
表面处理：纳米亚光、亚光铬
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Nano matt, matt chromium
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock



AB401-1




AB401-2


AB401-3



AB303



主材料：4# 锌合金
表面处理：纳米亚光、亚光黑、亚光铬
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Nano matt, matt black, matt chromium
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




主材料：4# 锌合金
表面处理：亚光铬
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Matt chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




AB402



MS208-4K



主材料：4# 锌合金
表面处理：纳米亚光
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Nano Matt
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




主材料：4# 锌合金；
表面处理：亮光铬、亚光铬
功能及用途：外形美观、超薄形平面。
按钮式小型配电箱锁。
Main material: 4# Zinc Alloy;
Surface treatment: Bright chrome, matt chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




MS201-2K/2KB



MS201-1K/1KB



主材料：4# 锌合金
表面处理：亮光铬、亚光铬
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Bright chrome, matt chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock



主材料：4# 锌合金；
表面处理：亮光铬、亚光铬
功能及用途：外形美观、超薄形平面。
按钮式小型配电箱锁。
Main material: 4# Zinc Alloy;
Surface treatment: Bright chrome, matt chrome
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




MS201-3K/3KB




AB302-G



AB302-F



主材料：4# 锌合金
表面处理：纳米亚光
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Nano Matt
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock




主材料：4# 锌合金
表面处理：纳米亚光、亚光铬、亮光铬
功能及用途：外形美观、超薄形平面；UP 手提式，防水性能强
附件系列内有多种锁片供参考选用
Main material: 4 # zinc alloy
Surface treatment: Nano matt, matt chrome, bright chrome
Functions and uses: beautiful appearance, ultra-thin flat surface;
UP portable, strong waterproof performance
There are a variety of locks in the accessory series for reference




MS208-2K



MS380-D



主材料：4# 锌合金
表面处理：纳米亚光
功能及用途：外形美观、超薄形平面
按钮式小型配电箱锁
Main material: 4# Zinc Alloy
Surface treatment: Nano Matt
Function and use: beautiful appearance, ultra-thin plane
Button type small distribution box lock



主材料：4# 锌合金
表面处理：纳米亚光
功能及用途：外形美观、超薄形平面；UP 提手式。防水性能强
多种锁片供参考选择
Main material: 4# Zinc Alloy;
Surface treatment: Nano Matt
Functions and uses: beautiful appearance, ultra-thin flat surface;
UP portable, strong waterproof performance
There are a variety of locks in the accessory series for reference



MS843-1




MS843-2


MS843-3



AB731



主材料：4# 锌合金；
表面处理：镀铬；
功能及用途：外形美观、超薄形平面；按钮式，防水性能强
附件系列内有多款锁片供参考选用
Main material: 4# Zinc Alloy
Surface treatment: Chrome-Plated
Functions and uses: beautiful appearance, ultra-thin flat surface;
UP portable, strong waterproof performance
There are a variety of locks in the accessory series for reference




主材料：4# 锌合金
表面处理：麻面黑
Main material: 4# Zinc Alloy
Surface treatment: Matte black




MS380-3D



MS864



主材料：4# 锌合金
表面处理：黑色
功能及用途：外形美观、超薄形平面；按钮式，防水性能强
附件系列内有多款锁片供参考选用
Main material: 4# Zinc Alloy
Surface treatment: Black
Functions and uses: beautiful appearance, ultra-thin flat surface;
UP portable, strong waterproof performance
There are a variety of locks in the accessory series for reference




产品型号	A	B	L	W
MS209-1	147	33	117	27
MS209-2	121	30	96	24
MS209-3	88	30	63	24


主材料：4# 锌合金
表面处理：纳米亚光
多种型号供参考选择
Main material: 4# Zinc Alloy;
Surface treatment: Nano Matt
Multiple models for reference selection




MS209



MS887




主材料：铝合金；
表面处理：灰蓝、亮光铬
结构说明：提起盖子，旋转把手，实现开启或锁闭
适用门板厚度：1-4.5mm
备注：选配三点钢栓，带挂锁装置，钢栓开孔 10×10
Main material: aluminum alloy
Surface treatment: gray blue, bright chrome
Structure description: Lift the cover and rotate the handle to realize opening or locking
Applicable door thickness: 1-4.5mm
Note: Optional three-point steel bolt with padlock device, steel bolt opening 10 × 10




主材料：锌合金
表面处理：亚光铬、亮光铬
功能及用途：外形美观、超薄形平面；UP 提手式。防水性能强
多种锁片供参考选择
Main material: Zinc alloy
Surface treatment: matt chrome, bright chrome
Functions and uses: beautiful appearance, ultra-thin plane; UP handle type. Strong waterproof performance
Multiple locking tabs for reference selection




MS837
密码锁



MS888




主材料：铝合金
表面处理：蓝灰
结构说明：提起盖子，旋转把手，实现开启或锁闭
适用门板厚度：1-4.5mm
Main material: aluminum alloy;
Surface treatment: Blue gray
Structure description: Lift the cover and rotate the handle to realize opening or locking
Applicable door thickness: 1-4.5mm



主材料：4# 锌合金 / 不锈钢 / ABS (电子)
表面处理：麻面黑
适用门板厚度：1~5mm
额定工作电压：12VDC
输入电压范围：DC10.8V~13.2V
Main material: 4 # zinc alloy / stainless steel / ABS (electronic)
Surface treatment: Matte black
Applicable door thickness: 1~5mm
Rated working voltage: 12VDC
Input voltage range: DC10.8V~13.2V



电子锁




连杆锁系列

LINK LOCK SERIES

www.lidalock.com


连杆锁，用于锁住金属板式柜框或者类似门框或者箱框内的盖，包括与门边平行的，基本上竖立在门或者框上的，最好设置在其旋角空间上纵向延伸的成型连杆，如扁平杆；包括至少一个安装在门框或者门上的定位件，用于将门锁住在关闭位置时接受连杆；包括与门板连接的连杆的操作装置。



主材料：4# 锌合金
表面处理：纳米亚光、亚光黑
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Main material: 4 # zinc alloy
Surface treatment: Nano matt, matt black
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance, strong waterproof performance



MS731-1




主材料：4# 锌合金
表面处理：纳米亚光、亚光黑
功能及用途：可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Main material: 4 # zinc alloy
Surface treatment: Nano matt, matt black
Function and use: available for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance, strong waterproof performance



MS731-2




MS731-3



主材料：4# 锌合金
表面处理：纳米亚光、亚光黑
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强

Main material: 4 # zinc alloy
Surface treatment: Nano matt, matt black
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance,
strong waterproof performance



主材料：4# 锌合金
表面处理：纳米亚光
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强

Main material: 4 # zinc alloy
Surface treatment: Nano Matt
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance,
strong waterproof performance




MS820

连杆锁系列




MS731-4



主材料：4# 锌合金
表面处理：纳米亚光、亚光黑
功能及用途：可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强

Main material: 4 # zinc alloy
Surface treatment: Nano matt, matt black
Function and use: available for two-point and three-point locking
Interchangeable left and right door installation,
beautiful appearance, strong waterproof performance



主材料：4# 锌合金
表面处理：米黄
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用。
可互换左、右开门安装，外形美观，防水性能强。


The main material:4# zinc alloy
Surface treatment: Cream-colored
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance,
strong waterproof performance




MS821



MS828



主材料：锌、铝合金
表面处理：纳米亚光、亚光黑
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Main material: 4 # zinc alloy
Surface treatment: Nano matt, matt black
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance,
strong waterproof performance




主材料：4# 锌合金
表面处理：米黄色
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Main material: 4 # zinc alloy
Surface treatment: beige
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance,
strong waterproof performance




MS830



MS829




主材料：4# 锌合金
表面处理：米黄色
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Main material: 4 # zinc alloy
Surface treatment: beige
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance,
strong waterproof performance




主材料：4# 锌合金
表面处理：亚光黑
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Main material: 4 # zinc alloy
Surface treatment: matt black
Function and use: It adopts gear and rack drive for two-point and three-point locking.
Interchangeable left and right door installation, beautiful appearance,
strong waterproof performance




MS831



MS834-1 MS834-2



主材料：4# 锌合金
表面处理：亚光黑
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Main material: 4 # zinc alloy
Surface treatment: matt black
Function and use: It adopts gear and rack drive for two-point and three-point locking.
Interchangeable left and right door installation, beautiful appearance, strong waterproof performance




材质：尼龙 / PA6+30%GF
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Material: Nylon / PA6 + 30% GF
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance and strong waterproof performance.




MS840-1A



MS840



主材料：4# 锌合金
表面处理：麻面黑
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Main material: 4 # zinc alloy
Surface treatment: Matte black
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance, strong waterproof performance




材质：尼龙 / PA6+30%GF
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Material: Nylon / PA6 + 30% GF
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance and strong waterproof performance.




MS840-1B



MS840-1C



材质：尼龙/PA6+30%GF
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Material: Nylon / PA6 + 30% GF
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation,
beautiful appearance and strong waterproof performance.




材质：尼龙/PA6+30%GF
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Material: Nylon / PA6 + 30% GF
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation,
beautiful appearance and strong waterproof performance.




MS840-2D



MS840-1D



材质：尼龙/PA6+30%GF
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Material: Nylon / PA6 + 30% GF
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation,
beautiful appearance and strong waterproof performance.



材质：尼龙/PA6+30%GF/ 锌合金
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Material: Nylon / PA6 + 30% GF/Zinc alloy
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation,
beautiful appearance and strong waterproof performance.





MS865



MS848-4A



MS848-4B



材质：尼龙 / PA6+30%GF
表面处理：黑色
功能及用途：采用齿轮、齿条传动，可供两点、三点锁闭使用
可互换左、右开门安装，外形美观，防水性能强
Material: Nylon / PA6 + 30% GF
Surface treatment: black
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance, strong waterproof performance



铰链系列

HINGE SERIES



www.lidalock.com

铰链又称合页是用来连接两个固体并允许两者之间做相对转动的机械装置。铰链可由可移动的组件构成，或者由可折叠的材料构成。合页主要安装于门窗上，而铰链更多安装于橱柜上，按材质分类主要分为，不锈钢铰链和铁铰链；为人们得到更好的享受又出现了液压铰链（又称阻尼铰链），其特点是在柜门关闭时带来缓冲功能，最大程度的减小了柜门关闭时与柜体碰撞发出的噪音。



CL001

主材料：4# 锌合金
表面处理：亮光铬
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: bright chrome
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料：4# 锌合金
表面处理：亮光铬，黑色
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: bright chrome, black
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance





CL002-2



CL002-1

主材料：4# 锌合金
表面处理：亮光铬
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: bright chrome
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料：4# 锌合金
表面处理：亮光铬
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: bright chrome
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance





CL002-3



CL002-4

主材料：4# 锌合金
表面处理：亮光铬
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: bright chrome
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance





主材料：锌合金
表面处理：黑色
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: Zinc alloy
Surface treatment: black
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance

CL004-2



CL004-1

主材料：锌合金
表面处理：黑色
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: Zinc alloy
Surface treatment: black
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




主材料：铸铁
表面处理：黑色
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: cast iron
Surface treatment: black
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance

CL004-3






CL007-1



主材料：4# 锌合金；
表面处理：黑色，孔雀绿
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy;
Surface treatment: black, peacock green
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




主材料：4# 锌合金；
表面处理：亚光；
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




CL011-1



CL007-2



主材料：4# 锌合金
表面处理：黑色，孔雀绿
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致。
Main material: 4 # zinc alloy
Surface treatment: black, peacock green
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance.



主材料：4# 锌合金
表面处理：亚光
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



CL011-2




CL012-3 CL012-3A



CL012-2 CL012-2A




CL012-1 CL012-1A



型号	A	B	C	D	E	F	G
CL012-1	60	60	16.5	18.4	8	15	8
CL012-2	50	50	12.5	6.3	6	11.5	6
CL012-3	40	40	10.2	5.3	5	9	4

主材料：4# 锌合金
表面处理：亚光黑、亮白铬
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt black, bright white chrome
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




主材料：4# 锌合金
表面处理：纳米亚光、亚光黑
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: Nano matte, Matt black
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




CL017



CL016



主材料：4# 锌合金
表面处理：亚光黑、亮白铬
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt black, bright white chrome
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




主材料：4# 锌合金
表面处理：亚光黑
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt black
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




CL018



CL020



主材料：4# 锌合金
表面处理：亚光黑、亮光铬
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt black, bright chrome
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



型号	A	B	C	D	E	F	G	H	J	K	L	M
CL023-1	8	20	M4	35	45	60	50	18	Φ8	11	14	18
CL023-2	4	13	M4	22	22	30	22	13	Φ5	8	10	9
CL023-3	4	18.5	M4	27.5	22	30	22	13	Φ5	8	10	14.5

主材料：4# 锌合金
表面处理：亚光黑、亮光铬、纳米亚光
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt black, bright chrome, nano matt
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



CL023-3



CL023-2




CL023-1


铰链系列



CL028



主材料：4# 锌合金
表面处理：亚光黑、亮光铬
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt black, bright chrome
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




主材料：A3 钢
表面处理：镀锌碳钢
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: A3 steel
Surface treatment: galvanized carbon steel
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




CL024



CL032



主材料：4# 锌合金
表面处理：亚光黑
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt black
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料：4# 锌合金
表面处理：亚光黑、纳米亚光
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt black, nano matt
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



CL203-4



铰链系列




CL203-1




CL203-2



CL203-3



主材料：4# 锌合金
表面处理：亚光黑、纳米亚光
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt black, nano matt
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



型号	A	B	C	D	E	F
CL231-1	11.5	11.5	14.5	80	68	Φ4.2
CL231-2	9.5	9.5	13	60	48	Φ4.2
CL231-3	8.1	8.1	11.5	51	40	Φ3.1

主材料：4# 锌合金
表面处理：亮光铬
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: bright chrome
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




CL231




CL019



CL019-A



主材料：4# 锌合金；
表面处理：亚光黑、亮光铬
功能及用途：采用 4# 锌合金，
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy;
Surface treatment: matt black, bright chrome
Function and use: 4 # zinc alloy,
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



产品材质：锌 / 铝合金
表面处理：纳米亚光、亚光黑、亮光铬
结构说明：可开启角度 180 度
备注：螺柱、沉孔多款可选
Product material: zinc / aluminum alloy
Surface treatment: Nano matt, matt black, bright chrome
Structure description: 180 degrees can be opened
Remarks: Studs and countersinks are available



CL226-4




CL226-4




CL226-4A



CL226-6A



主材料：4# 锌合金；
表面处理：亚光黑、亮光铬
功能及用途：采用 4# 锌合金，
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy;
Surface treatment: matt black, bright chrome
Function and use: 4 # zinc alloy,
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



产品材质：锌 / 铝合金
表面处理：纳米亚光、亚光黑、亮光铬
结构说明：可开启角度 180 度
备注：螺柱、沉孔多款可选
Product material: zinc / aluminum alloy
Surface treatment: Nano matt, matt black, bright chrome
Structure description: 180 degrees can be opened
Remarks: Studs and countersinks are available



CL226-7



CL226-7




CL226-7A




CL226-5



CL226-5A



主材料：4# 锌合金；
表面处理：亚光黑、亮光铬
功能及用途：采用 4# 锌合金，
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy;
Surface treatment: matt black, bright chrome
Function and use: 4 # zinc alloy,
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料：4# 锌合金
表面处理：亚光黑
功能及用途：产品具有抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
可旋转角度 180°
Main material: 4 # zinc alloy
Surface treatment: matt black
Function and use: The product has tensile strength,
torque, strong abrasion resistance, corrosion resistance, exquisite appearance
Rotation angle 180 °



CL255




CL235-1



CL235-1




CL235-2



产品型号	L1	L2	L3	L4	H1	H2
JL235-1	79	65	50	42	8.5	17
JL235-2	65	55.5	40	38	7	12.5


主材料：4# 锌合金；
表面处理：亚光黑、亮光铬
功能及用途：采用 4# 锌合金，
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy;
Surface treatment: matt black, bright chrome
Function and use: 4 # zinc alloy,
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料：4 # 锌合金
表面处理：亚光黑
功能及用途：采用 4 # 锌合金，
抗拉强度、扭力、磨损性能强，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt black
Function and use: 4 # zinc alloy,
Strong tensile strength, torsion and wear performance, exquisite appearance





CL021-1



CL021-2

主材料：4 # 锌合金
表面处理：亚光黑
功能及用途：采用 4 # 锌合金
抗拉强度、扭力、磨损性能强，外观精致
Main material: 4 # zinc alloy
Surface treatment: matt black
Function and use: 4 # zinc alloy
Strong tensile strength, torsion and wear performance, exquisite appearance



主材料：4 # 锌合金
表面处理：黑色
功能及用途：采用 4 # 锌合金
抗拉强度、扭力、磨损性能强，外观精致
Main material: 4 # zinc alloy
Surface treatment: black
Function and use: 4 # zinc alloy
Strong tensile strength, torsion and wear performance, exquisite appearance




CL111-1





CL111-2

铰链系列



CL104

主材料：4 # 锌合金
表面处理：磨砂
功能及用途：采用 4 # 锌合金
抗拉强度、扭力、磨损性能强，外观精致
Main material: 4 # zinc alloy
Surface treatment: Frosted
Function and use: 4 # zinc alloy
Strong tensile strength, torsion and wear performance, exquisite appearance



主材料：4 # 锌合金
表面处理：亚光黑，纳米亚光，亮光铬，亚光铬
功能及用途：采用 4 # 锌合金
抗拉强度、扭力、磨损性能强，外观精致
Main material: 4 # zinc alloy
Surface treatment: Matt black, nano matt, bright chrome, matt chrome
Function and use: 4 # zinc alloy
Strong tensile strength, torsion and wear performance, exquisite appearance







CL050-1

CL050-2




CL050-2D


CL050-3



主材料：
锌合金
表面处理：
亮光铬
Main material:
Zinc alloy
Surface treatment:
Bright



主材料：
锌 / 铝合金
表面处理：
纳米喷塑，亚黑
Main material:
Zinc/aluminum alloy
Surface treatment:
Nano spray, sub black



主材料：铝合金 / ABS
表面处理：本色磨砂，黑色
结构说明：
铝二通
Main material: aluminum alloy / ABS
Surface treatment: natural matte, black
Structure Description:
Aluminum two-way



抽屉柜铰链 24



抽屉柜铰链 34



铝二通 铝



铝二通 塑料




CL225 大




CL225 中



CL225 小



主材料：A3 钢
表面处理：蓝白锌
结构说明：卡式铰链，可开启角度 130 度
适用门板厚度：1-2.3mm
Main material: A3 steel
Surface treatment: blue and white zinc
Structural description: card hinge, can be opened at an angle of 130 degrees
Applicable door thickness: 1-2.3mm




主材料：4# 锌合金；
表面处理：黑色，孔雀绿
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy;
Surface treatment: black, peacock green
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




CL007-3



CL257



主材料：铁，不锈钢
表面处理：蓝白锌、本色
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: iron, stainless steel
Surface treatment: blue and white zinc, natural color
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料：4# 锌合金
表面处理：黑色，孔雀绿
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致。
Main material: 4 # zinc alloy
Surface treatment: black, peacock green
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance.



CL007-4




CL035



CL036



CL037



主材料：4# 锌合金
表面处理：亮光铬、纳米亚光
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: bright chrome, nano matt
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




CL038



CL039



CL040



主材料：4# 锌合金
表面处理：亮光铬、纳米亚光
功能及用途：采用 4# 锌合金
抗拉强度、扭力、磨损性能强，耐腐蚀，外观精致
Main material: 4 # zinc alloy
Surface treatment: bright chrome, nano matt
Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



搭扣系列

BUCKLE SERIES


www.lidalock.com

搭扣是机箱或木箱附件，它可使箱盖较紧密的盖在箱体上，同时还可挂锁锁闭，开启也比较方便。
主要材质：不锈钢、铁、铜、锌合金、塑料、橡胶等。



DK725



材质: ABS 塑料
表面处理: 黑色、灰色、米白
Material: ABS Plastic;
Surface treatment: Black, Gray, Beige



MS406 插销


主材料：铝合金
表面处理：镀铬
功能及用途：外形美观、超薄形平面；按钮式，防水性能强
附件系列内有多种锁片供参考选用

Main material: Aluminum alloy
Surface treatment: chrome
Function and use: beautiful appearance, ultra-thin plane;
Button type, strong waterproof performance
There are a variety of locks in the accessory series for reference



主材料：4# 锌合金
表面处理：纳米亚光、亚光黑、亮光铬
功能及用途：适用各种中、高料推拉门、工具箱、配电柜等产品，
具有抗拉强度、磨损性能强，耐腐蚀，外观精致

Main material: 4 # zinc alloy
Surface treatment: Nano matt, matt black, bright chrome
Function and use: Suitable for various middle and high-grade sliding doors,
tool boxes, power distribution cabinets, etc
With tensile strength, strong wear resistance, corrosion resistance, exquisite appearance



主材料：4# 锌合金
表面处理：纳米亚光、亚光黑、亮光铬
功能及用途：适用各种中、高料推拉门、工具箱、配电柜等产品，
具有抗拉强度、磨损性能强，耐腐蚀，外观精致

Main material: 4 # zinc alloy
Surface treatment: Nano matt, matt black, bright chrome
Function and use: Suitable for various middle and high-grade sliding doors,
tool boxes, power distribution cabinets, etc
With tensile strength, strong wear resistance, corrosion resistance, exquisite appearance



DKS-1



DKS-1-1



DKS-2



DKS-2-1




拉手限位系列

HANDLE LIMIT SERIES

www.lidalock.com

拉手是装在门窗扇上兼有开启和关闭后紧固作用的装置。多以铝合金、铜、不锈钢、有机玻璃、塑料等材料制成。形式多样，大小各异。除满足手感舒适和受力合理的要求外，又具有点缀性的装饰效果，故用材和造型根据建筑设计要求选用成品或另行设计。



产品型号	A	B	C	D	E	F	G	H	I	J	K
TX80-1	12	12	70	85	43	28	4.2	12	13.5	28	12
TX80-2	18	18	105	127	64	40	3.2	18	14	40	16


主材料：碳钢
表面处理：
亮光铬
备注：分左右
Main material: carbon steel
Surface treatment:
Gloss Chrome
Note: About the score



TX80-1



TX80-2



主材料：碳钢
表面处理：
亮光铬
备注：分左右
Main material: carbon steel
Surface treatment:
Gloss Chrome
Note: About the score




TX80-3


拉手限位系列



TX91



主材料：碳钢/SUS 304
表面处理：
镀镍 / 本色
备注：分左右
Main material: carbon steel
Surface treatment:
chrome plating, bright
Note: About the score




主材料：铝合金 / 塑料
表面处理：
纳米喷塑，亚黑
Main material: aluminum alloy / plastic
Surface treatment:
Nano spray, matt black




LS522-2



LS522-1



主材料：铝合金 / 塑料
表面处理：
纳米喷塑，亚黑
Main material: aluminum alloy / plastic
Surface treatment:
Nano spray, matt black



主材料：4 # 锌合金
表面处理：
镀铬
Main material: 4 # zinc alloy
Surface treatment:
chrome




LS122




LS125-1



LS125-2



主材料：4 # 锌合金
表面处理：
喷砂镀铬
Main material: 4 # zinc alloy
Surface treatment:
Sandblasted chrome



A=15 H=40		
A3 铜 (镀铬)	不锈钢	尺寸 L
LS507-68	LS507-S68	68
LS507-75	LS507-S75	75
LS507-100	LS507-S100	100
LS507-150	LS507-S150	150

材质：铁、SUS304 不锈钢
表面处理：
亮光铬、镜面抛光
Material: Iron, SUS304 stainless steel
Surface treatment:
Bright chrome, mirror polished




LS507 内螺




LS507 外螺



LS506-90 LS506-100




LS506-120



A=M10 B=9 C=57.5 D=Φ16 E=Φ11 H=41.5 Ts=1~2			A=M6 B=Φ6 C=45 D=Φ11 H=32 E=Φ7 Ts=1~5	
A3 铜 (镀铬)	不锈钢	尺寸 L	A3 铜 (镀铬)	尺寸 L
LS506=90	LS506=90	90	LS506-2=S55	90
LS506=100	LS506=100	100	LS506-2=S60	100
LS506=119	LS506=119	119	LS506-2=S70	119
LS506=135	LS506=135	135	LS506-2=S84	135
LS506=149	LS506=149	149	LS506-2=S90	149
LS506=155	LS506=155	155	LS506-2=S102	155
LS506=160	LS506=160	160	LS506-2=S122	160

材质：铁、SUS304 不锈钢
表面处理：
亮光铬、镜面抛光
Material: Iron, SUS304 stainless steel
Surface treatment:
Bright chrome, mirror polished




材质：锌合金
表面处理：
纳米亚光、喷砂镀铬
Material: Zinc alloy
Surface treatment:
Nano matt, sandblasted chrome




LS126



LS504-1



产品材质: A3 钢
表面处理:
亮光铬
Product material: A3 steel
Surface treatment:
Gloss Chrome



产品材质: 锌 / 铝合金
表面处理:
喷砂镀铬
Product material: zinc / aluminum alloy
Surface treatment:
Sandblasted chrome




LS003


拉手限位系列



LS504-2



产品材质: 铝
表面处理:
氧化
Product material: Aluminum
Surface treatment:
Oxidation



型号	L1	L2	B1	B2	B3	H
LS012	110	104	43	40	4	21
LS011	110	105	40	34	4	21

主材料: 塑料
表面处理: 黑色、灰色
结构说明: 单孔塑料拉手
Main material: Plastic
Surface treatment: black, gray
Structure description: single hole plastic handle




LS011




LS012




MS306-1A-1 铜芯 钢



主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：旋转把手 60 度，实现开启或闭锁
适用门板厚度：1-10mm
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: Rotate the handle 60 degrees to realize opening or closing
Applicable door thickness: 1-10mm




主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：旋转把手 90 度，实现开启或闭锁
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: Rotate the handle 90 degrees to realize opening or closing



MS308-3 铜芯 钢




MS306-2-1 铜芯 钢



备注：调整锁座安装方向可实现左右开门

主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：旋转把手 60 度，实现开启或闭锁
适用门板厚度：1-4mm
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: Rotate the handle 60 degrees to realize opening or closing
Applicable door thickness: 1-4mm




主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：旋转锁芯 90 度，实现开启或闭锁
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structural description: Rotate the lock cylinder 90 degrees to realize opening or closing




024 钢



CL201-1 钢



主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：可开启角度 130 度
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: can be opened at an angle of 130 degrees



主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：带沉孔和螺柱型，可开启角度 180 度
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: with counterbore and stud type, can be opened at 180 degrees



CL016-A 钢



CL016 钢




CL204-3 钢




CL204-2 钢



CL204-1 钢



主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：带沉孔型，可开启角度 180 度
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: with counterbore, can be opened at 180 degrees



主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：带沉孔和螺柱型，可开启角度 180 度
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: with counterbore and stud type, can be opened at 180 degrees



CL012-40 钢



CL012-50 钢



CL012-60 钢




CL218-3A 钢



CL218-2A 钢




CL218-1A 钢



产品型号	A	B	E	F	G
CL218-1A 钢	36	60	8	15	8
CL218-2A 钢	30	50	6	11.5	6
CL218-3A 钢	25	40	5	9	4

主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：带螺钉型，开启角度 180 度
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: with stud type, opening angle 180 degrees



产品型号	外形尺寸											
	A	B	C	D	E	F	G	H	J	K	L	M
CL023-1 钢	8	20	M5	35	45	60	50	18	Φ8	11	14	18
CL023-2 钢	4	13	M4	22	22	30	22	13	Φ5	8	10	9
CL023-3 钢	4	18.5	M4	27.5	22	30	22	13	Φ5	8	10	14.5

主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：可开启角度 180 度
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: 180 degrees can be opened



CL023-3 钢



CL023-2 钢



CL023-1 钢


不锈钢系列




CL235-1 钢



CL235-2 钢



主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：带沉孔型，可开启角度 180 度
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: with counterbore, can be opened at 180 degrees



主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：旋转锁芯 90 度，实现开启或闭锁
适用门板厚度：1-5mm
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structural description: Rotate the lock cylinder 90 degrees to realize opening or closing
Applicable door thickness: 1-5mm



MS705 三角




MS705 圆芯



MS705 四角



CL253-1 钢




主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：带沉孔型，可开启角度 180 度


Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: with counterbore, can be opened at 180 degrees



CL257 钢




主材料：304 不锈钢
表面处理：
拉丝、不锈钢本色
Main material: 304 stainless steel
Surface treatment:
Brushed, stainless steel




主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：带沉孔型，开启角度 180 度

Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: with counterbore, opening angle 180 degrees



主材料：304 不锈钢
表面处理：磨砂、不锈钢本色
结构说明：旋转约 120 度


Main material: 304 stainless steel
Surface treatment: matte, stainless steel
Structure description: Rotate about 120 degrees




CL226-4 钢



CL040 钢




CL143 钢



主材料：304 不锈钢
表面处理：拉丝、不锈钢本色
结构说明：带沉孔型，可开启角度 180 度
Main material: 304 stainless steel
Surface treatment: brushed, stainless steel
Structure description: with counterbore, can be opened at 180 degrees



CL226-5A 黑 (螺丝不锈钢)



主材料：锌 / 铝合金，螺丝 304 不锈钢
表面处理：纳米喷塑，亚黑
结构说明：可开启角度 180 度
Main material: zinc / aluminum alloy, screws 304 stainless steel
Surface treatment: nano-spraying, matte black
Structure description: 180 degrees can be opened

成套柜体配件
Complete
Cabinet
Accessories



基业铁铰链 1.2-1.5



基业不锈钢铰链 1.2-1.5



新基业箱铰链



新型不锈钢铰链



Φ6 225-1 左右插销



Φ5 225-2 左右插销



Φ4 225-3 左右插销



Φ6 225-4 左右插销



Φ8 225 左右插销



Φ4/Φ5/Φ6 两头轴



Φ5/Φ6 225
螺丝型固定插销



弹簧铰链特宽



弹簧铰链
中宽 铁 / 不锈钢



弹簧铰链
窄 铁 / 不锈钢



多媒体铰链



XL-21 暗装动力箱铰链



接地螺母 M6/M8/M10



Φ8/Φ10/Φ12/Φ14/Φ16/Φ18 明装铰链



铁合页



Φ6 活动铰链



Φ5.2 活动铰链




桥扣小



桥扣中



				
CL283-4	CL043-1	CL043-2	DK602-1 外露式 (带防松扣型)	DK602-2 外露式 (带防松扣型)
				
DK602-3 隐藏式 (带防松扣型)	DK602-4 隐藏式 (带防松扣型)	CL283	新动力箱内铰链	新动力箱外铰链
				
新小型动力箱铰链	柜内照明铰链	非标短双筋铰链	非标 45° 小铰链 铁 / 不锈钢	2.0 平板铰链
				
45° 铰链	PZ30 左右支架	直角铰链	防 AB 铰链	非标大铰链
				
电表箱铁皮兜	2.0 90° 铰链	CL04-1	CL034-2 焊接式	CL034-1 卷圆式

			GGD 配件 GGD Accessories	
PGL1 铰链	螺钉把手 8	螺母 8	圆孔双支架	
				
中间腰孔双支架	边腰孔双支架	圆孔单支架	中间腰孔单支架	三角支架
				
连接件	端子板支架	挂钩螺母	底板支架	垫板
				
带铜接地	密封条	老 GGD 门锁	新 GGD 门锁	GGD 锁杆
				
10×30 内六角螺丝	8×25 滚花螺丝	5×16 滚花螺丝	φ12 吊环	GGD 眉头 (新型 / 老型)




				
连接小圆角	GLBK410 027R1 铰链	GLBK410 005P1 紧固扣	GLBK410 005P2 紧固扣	GLBK400 004P2 压板 (8个厚)
				
GLBK400 004P 2压板 (6个厚)	GLBK410 000 门铰链 (MNS用)	HANL 100 001R 1大门铰链	连接小三角	小三角 (横数 20mm、25mm)
				
GLBK400 001P 3横梁堵头	锁止动	GLBK410 001 抽屉铰链	GLBK300 094 支架	MNS 并柜螺母
				
抽屉轮仪表型、轴承型	C型铝三通	高压铝单通	38型铝三通	XGN2 高压单片角板 (38型)
		成套附件 Complete Sets Of Accessories		
挂锁 1 挂锁 2 挂锁 3	XGN2 高压铰链 (38型)			PZ30 铜端子

				
前侧门支架 (固定柜用)	侧板附件	左右安装板附件	小挂件	大挂件
				
双门支架	M8	M6 方螺母	上下总成 M6	上下总成
				
上下总成	RG004-1	RG004-2	RG008	RG005
				
RG001-3	FJ001	FJ002	RG006-2	RG736
				
威固塑料件	WP007	816 拉手	816 盖 (Φ22)	816 盖 (Φ18)



①	Φ6 带弯钩锁杆
②	Φ6 带轮带弯钩锁杆
③	Φ8 带弯钩锁杆
④	GGD 型弯锁杆
⑤	GGD 型直锁杆
⑥	Φ8 带轮锁杆
⑦	锁杆
⑧	锁杆
⑨	锁杆
⑩	Φ8 打扁锁杆
	Φ10 打扁锁杆





XL-21 GGD NLS



XL-21 动力柜



XL-21 动力柜



XL-21 动力柜



XL-21 动力柜



XL-21 动力柜



XL-21 动力柜



XL-21 动力柜



XL-21 动力柜



XL-21 动力柜

老型 GGD 式眉头 (非标可定制)

规格	600	700	800	900	1000	1100	1200
							

弧形铝合金眉头 (非标可定制) (多色可选)

规格	600	700	800	900	1000	1100	1200
							

XL-21/GGD 柜插板眉头

激光雕刻型眉头 (非标可定制)


规格	600	700	800	900	1000	1100	1200
							

GCK 柜插板眉头

基业箱眉头 (非标可定制) (颜色可定制)

规格	600	700	800	900	1000	1100	1200
							

电容柜眉头



可按客户要求定做



普通型钢铝制导轨




PZ30 左右支架



PZ30 规格	导轨长度 (cm)
8 回路	16.5
10 回路	20.3
12 回路	24
15 回路	29.2
18 回路	34.5
20 回路	38

PZ30 规格	导轨长度 (cm)
4 回路	9.2
6 回路	13

梅兰型导轨



PZ30 规格	导轨长度 (cm)
6 回路	15.5
8 回路	19.5
10 回路	23
12 回路	26.5
15 回路	32
18 回路	38
20 回路	41.5

PZ30 箱导轨



型号	包装	型号	包装	型号	包装
2×10	10m	3×25	10m	5×20	5m
2×20	10m	3×30	10m	5×25	5m
3×10	10m	4×20	5m	5×30	5m
3×15	10m	4×25	5m		
3×20	10m	4×30	5m		

单双面胶条



分合指示牌



JL051



圆形线夹



电缆夹



四方子



大梯 小梯



梅兰阻燃支架



单双层固定件



圆子



电表支架 (塑料)



电表支架 (锌合金)



JF5 固定件



JVC 固定件



塑料固定件



可调节支架



按钮复位塞



按钮标字框



挡片



零排



地排



铜端子



七子型铜端子座



梅兰铜端子座



桥型铜端子



双面型护线圈

型号	包装
Φ3-10mm	1000
Φ12-30mm	1000
Φ35-40mm	500
Φ45mm	200
Φ50mm	500
Φ60mm	400
Φ80mm	100



单面型护线圈


型号	包装
Φ16-35mm	1000
Φ40-50mm	500
Φ55mm	300
Φ60mm	400
Φ65-70mm	300
Φ75mm	100
Φ80mm	200
Φ90-100mm	150
Φ100-120mm	100



塔型护线圈


型号	包装
Φ30mm	2000
Φ35-50mm	1000
Φ60-90mm	500
Φ100mm	400
Φ110mm	300
Φ120mm	300
Φ150mm	100

密封条系列




每包捆数	7
每捆长度 m	40
每捆重量 kg	4.2

GGD




每包捆数	3
每捆长度 m	50
每捆重量 kg	11

16 玻璃




每包捆数	4
每捆长度 m	25
每捆重量 kg	6.7

19 玻璃




每包捆数	5
每捆长度 m	50
每捆重量 kg	5

大 JK




每包捆数	8
每捆长度 m	50
每捆重量 kg	4.4

中置柜 中 JK




每包捆数	6
每捆长度 m	100
每捆重量 kg	5.8

小 JK




每包捆数	5
每捆长度 m	100
每捆重量 kg	5

GCS 前门




每包捆数	6
每捆长度 m	100
每捆重量 kg	5.6

GCK




每包捆数	8
每捆长度 m	100
每捆重量 kg	4.4

1.5*8




每包捆数	6
每捆长度 m	100
每捆重量 kg	8.4

FZ165



每包捆数	10
每捆长度 m	50
每捆重量 kg	3.5

FZ028



每包捆数	3
每捆长度 m	50
每捆重量 kg	4.4

FZ027

合页系列



25×23.5×0.5
14×14



35×25×0.6
25×13.5



35×28×0.6
24.5×15



45×29×0.8
32×17



45×32×1.0
30×19



50×31×1.1
38×16



55×31×0.8
43×18



56×34×1.0
44×20



60×38×1.2
46×22.5



67×40×1.2
52×22



67×43×1.2
52×23



75×47×1.4
66.5×27.5



66×38×1.0
48×22



25×27×1.2
9.5×18.5



38×36×1.2
21.5×23.5



50×38×1.2
36×25



63×43×1.2
49×26



75×51×1.5
51.5×23.5



75×50×1.5
59×33



434 长锁片



100×70×1.8
77.5×47



90×60×3.0
71×38



75×46×1.3
27.5×24.5




64×40×1.2
52×23



70×42×1.5

合页系列



不锈钢排铰

长度 × 宽度 × 厚度 (mm)	每件数量 (件)	长度 × 宽度 × 厚度 (mm)	每件数量 (件)
1.8米 × 1.0寸 × 0.5	5×20=100	1.8米 × 2.0寸 × 0.9	4×10=40
1.8米 × 1.2寸 × 0.5	5×20=100	1.8米 × 1.2寸 × 1.2	2×10=20
1.8米 × 1.5寸 × 0.5	5×20=100	1.8米 × 1.5寸 × 1.2	2×10=20
1.8米 × 1.0寸 × 0.6	5×20=100	1.8米 × 2.0寸 × 1.2	2×10=20
1.8米 × 1.2寸 × 0.6	5×20=100	1.8米 × 2.5寸 × 1.2	4×5=20
1.8米 × 1.5寸 × 0.6	5×20=100	1.8米 × 3.0寸 × 1.2	4×5=20
1.8米 × 1.0寸 × 0.8	3×20=60	1.8米 × 1.2寸 × 1.5	2×10=20
1.8米 × 1.2寸 × 0.8	3×20=60	1.8米 × 1.5寸 × 1.5	2×10=20
1.8米 × 1.5寸 × 0.8	3×20=60	1.8米 × 2.0寸 × 1.5	4×5=20
1.8米 × 1.0寸 × 0.9	3×20=60	1.8米 × 2.5寸 × 1.5	4×5=20
1.8米 × 1.2寸 × 0.9	3×20=60	1.8米 × 3.0寸 × 1.5	4×5=20
1.8米 × 1.5寸 × 0.9	3×20=60		

锁片系列
Lock series



威图小铰链双孔片



026 锁片



172-3 锁片



201-1 管子附件



201-1 有孔锁片



201-2 无孔锁片



201-3 锁片



202 锁片



301 锁片



301 斜孔拉杆锁片



301 正孔拉杆锁片



306-1A-1 锁片



306-2-1 锁片



308 蝴蝶片带耳朵



308 蝴蝶锁片



380 平片



308 弯锁片



手柄锁蝴蝶锁片



380 锁片



403 36 长锁片



403 48 长锁片



403 锁片



407 锁片



414 锁片



434 短锁片



434 长锁片



490 41 长锁片



490 61 长锁片



490 大背条锁片



490 大弯锁片



490 锁片



490 小弯锁片



490 中弯锁片



603 平锁片



603 右锁片



505 锁片



601 锁片



603 右锁片



603 左锁片



603 右锁片



603 左锁片



604 锁片



705-10 锁片



705-15 锁片



705-20 锁片



705-20 外定位锁片



705-25 锁片



705-25 外定位锁片



705-30 锁片

