CNLD®和达






















www.lidalock.com



乐清市利达锁具有限公司 YUEQING LIDA LOCK CO., LTD.

CNLD®利达

乐清市利达锁具有限公司

地址: 浙江省乐清市柳市新光工业区振兴路 18号

电话: 0577-62751366 62758366

传真: 0577-62758363 手机: 13706778529 邮箱: lidalock@aliyun.com

网址: www.lidalock.com

销售一部:

浙江省乐清市柳市镇环城东路 492号

销售二部:

浙江省乐清市柳市镇新市街62号

△ 此样本资料由乐清市利达朝具有限公司印制,仅用于说明本系列产品的相关信息。利达朝具随时可能因技术升级或采用更新的生产工艺而改选本手册有关内容,或对本于册约印刷错误及不准确的信息进行必要的改进和更改,忽不另行通知。南家订货时诗随时联系本公司技术部,以证实相关信息。



¥用环保纸印刷 Use of environmentally friendly printing paper

© 乐清市利达锁具有限公司版权所有 Yueqing Lida Lock Co., Ltd. All Right Reserved



扫描浏览电子样本



企业简介

Company Profile

乐清市利达锁具有限公司,创建于80年代,是一家集科技、工业、贸易于一体的综合性企业。公司坐落于享有"电器之都"美称的柳市,交通便利。经过二十几年的持续改进和不断完善,拥有先进的生产设备,并拥有了一支具有数百多个专业技术人员的精英团队

乐清市利达锁具专心致力于生产各种 MS300-900 系列高, 低压开关柜门锁, 电器箱门锁, 仪表柜门锁、通讯柜门锁等柜体的门锁、铰链等电柜附件, 是集产品研制、开发、生产、销售于一体的专业厂家, 从产品设计、模具制作。产品压铸、冲制、表面处理到装配,对每一个环节各工序进行严格的检测和管控。利达所有员工坚持"顾客满意"的服务宗旨,为顾客提供"零缺陷"的产品是公司每位员工始终不渝的奋斗目标, 利达人始终抱着质量第一、服务第一、为客户创造价值理念,为客户提供多种解决方案,满足客户的不同需求,同时努力提高内部竞争力,按时、保质、保量为客户提供产品。最终实现客户和我们的双赢。

利达锁具董事长:徐建胜在这里真诚的欢迎您的光临与合作!

CNLD®利达

Yueqing Lida Lock Co., Ltd., founded in the 1980s, is a comprehensive enterprise integrating technology, industry and trade. The company is located in Liushi, which enjoys the reputation of "Electric Capital", and has convenient transportation. After more than 20 years of continuous improvement and continuous improvement, we have advanced production equipment and an elite team with more than hundreds of professional and technical personnel Yueqing Lida Lock is dedicated to producing various MS300-900 series high and low voltage switch cabinet door locks, electrical box door locks, instrument cabinet door locks, communication cabinet door locks and other cabinet door locks and hinges, It is a professional manufacturer integrating product research, development, production and sales, from product design and mold making. Product die-casting, stamping, surface treatment to assembly, and strict inspection and control of each process. All employees of Leader adhere to the service tenet of "Customer Satisfaction", and providing customers with "zero defect" products is the unremitting goal of each employee of the company. Leader always holds quality first, service first, and serves customers Create value concept, provide customers with multiple solutions to meet the different needs of customers, at the same time strive to improve internal competitiveness, and provide customers with products on time, quality and quantity. In the end, we will achieve a win-win situation for our customers and

Chairman of Lida Locks: Xu Jiansheng sincerely welcomes your presence and cooperation here!







生产设备

Production equipment

公司拥有国内先进的生产检测设备,严格按照国家标准组织生产,从原材料购进到成品出库实行全过程控制制定以客户需求为中心以生产管理为基础,持续改进质量体系,提供用户满意产品"的质量方针。

The company has domestic advanced production and testing equipment, in strict accordance with the national standards organization of production, from the purchase of raw materials to the finished product to the whole process control to develop customer demand as the center to the production management as the basis, continuous improvement of quality system, quality policy to provide customer satisfaction products ".









































MS705-4A





















































































































































































































































MS509-2











MS713















































































































MS848-4A MS848-4B

































































































CNLD®利达























































































































CNLD®和达

"诚招天下客,誉从质中来"。长期以来,公司十分注重与客户的友好合作,保证品质与服务,珍视荣誉,从而赢得了客户的信赖与支持。与朋友广泛合作,共享繁荣,也成为我们自真诚的追求。

Sincerely to maintaining truthful, reputation from quality". For a long time, the company pays attention to the friendly Cooperation with customers, ensure the quality and service, Cherishes honor, to win the customers trust and support. Extensive cooperation with friends, Shared prosperity, have become our sincere pursuit.
















转舌锁系列

TURN THE TONGUE LOCK SERIES

www.lidalock.com

该系列产品采用的稀土高能永磁材料,起体积小磁力强,百年自然消磁不超过万分之一,具有永久性和可靠性。可根据客户要求订做! 材质与表面处理:锁体为锌合金,锁面抛光镀铬;拨片锁舌为镀锌钢板。钥匙为磁芯钥匙,表面镀铬。


规格: Φ18X24 止口高度 24mm 拨片锁舌可根据客户要求订做。


本锁可配三点钢栓,接连杆,实现天地锁(连杆锁)功能。


YUEQING LIDA LOCK CO., LTD.

www.lidalock.com

CNLD®利达







开孔尺寸/Cut out

主材料:锌/铝合金

表面处理:镀铬、亮光、亚黑结构说明:旋转锁芯 90 度,实现开启或锁闭

适用门板厚度:1-5mm

Main material: zinc/aluminum alloy


Surface treatment: Chrome, gloss, matte black Structure description: Rotate the lock cylinder 90 degrees to open or lock Applicable door panel thickness: 1-5mm







MS705 四方锁芯

MS705 一字锁芯







主材料:锌/铝合金 表面处理:喷砂、镀铬

结构说明:旋转锁芯90度,实现开启或锁闭

Main material: zinc/aluminum alloy Surface treatment: Sandblasted, chrome-plated Structure description: Rotate the lock cylinder 90 degrees to open or lock


MS705-3A 三角


MS705-3A 一字锁芯




MS705-3B

CNLD®利达







主材料:锌/铝合金


表面处理: 亮光铬

结构说明:旋转锁芯90度,实现开启或锁闭

备注:带挂系装置

Main material: zinc/aluminum alloy

Surface treatment: Gloss Chrome Structure description: Rotate the lock cylinder 90 degrees to open or lock Remarks: with hanging device



主材料: 4# 锌合金 表面处理: 亮光铬

功能及用途:适用于工具箱、文件柜、仪表箱等

Main material: 4#,Zinc Alloy; Surface treatment: Gloss Chrome

Function and use: suitable for tool box, file cabinet, meter box, etc.






MS704-1A



MS705-4A




主材料: 4# 锌合金 表面处理:喷砂、镀铬

结构说明:旋转锁芯90度,实现开启或锁闭

备注:带挂系装置

Main material: 4#,Zinc Alloy; Surface treatment: Sandblasted, chrome-plated Structure description: Rotate the lock cylinder 90 degrees to open or lock;

Remarks: with hanging device.



主材料: 4# 锌合金 表面处理:亮光铬


功能及用途:适用于工具箱、文件柜、仪表箱等 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开


Main material: 4#,Zinc Alloy; Surface treatment: Gloss Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.









主材料: 4# 锌合金 表面处理: 亮光铬

功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。


Main material: 4#,Zinc Alloy;

Surface treatment: Gloss Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right.





MS813

主材料: PA 基座/锌合金铝芯 表面处理:米灰色


功能及用途:适用于工具箱、文件柜、仪表箱等 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开


Main material: PA base / zinc alloy aluminum core;

Surface treatment: Beige
Function and use: Applicable to the toolbox, filling cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right.







主材料: 4# 锌合金/铝合金基座/PA 手柄

表面处理:亮光铬、亚光黑

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4 # zinc alloy / aluminum alloy base / PA handle Surface treatment: Gloss Chrome, Matt Black

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right.

H=23 16 20.1

主材料: PA 基座 /4# 锌合金铝芯

表面处理:黑色、米黄色

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: PA base / 4 # zinc alloy aluminum core

Surface treatment: Black, beige

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.


By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right.



MS705-4

MS705-5



主材料: PA 基座 /4# 锌合金锁芯 / 刚栓;

表面处理:黑色;

www.lidalock.com

功能及用途:适用于工具箱、文件柜、仪表箱等。


通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: PA base / 4 # zinc alloy lock cylinder / rigid bolt

Surface treatment: Black

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right.



主材料:4#锌合金; 表面处理:黑色、亚光;

功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy;

Surface treatment: Black, matte;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right.






MS817 镀铬



MS816



MS816 镀铬



主材料: 4# 锌合金; 表面处理:镀铬、黑色;


功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy; Surface treatment: Chrome, black;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right.



主材料: 4# 锌合金; 表面处理:镀铬;


功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy;


Surface treatment: Chrome;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.



MS706






主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启 Main material: 4#,Zinc Alloy;

Surface treatment: Chrome; Function and use: Applicable to the toolbox, filing cabinets, instrument boxes. Turn by 90 degrees with the key to open



主材料: 4# 锌合金; 表面处理:黑色;

功能及用途:适用于工具箱、文件柜、仪表箱等


通过钥匙旋转 90 度开启 Main material: 4#,Zinc Alloy;

Surface treatment: Black; Function and use: Applicable to the toolbox, filing cabinets, instrument boxes. Turn by 90 degrees with the key to open



MS815-1





主材料: 4# 锌合金 表面处理:镀铬


功能及用途:适用于工具箱、文件柜、仪表箱等


通过钥匙旋转 90 度开启


Main material: 4#,Zinc Alloy; Surface treatment: Chrome;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

Turn by 90 degrees with the key to open







主材料: 4# 锌合金 表面处理:黑色

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启

Main material: 4#,Zinc Alloy; Surface treatment: Black;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes. Turn by 90 degrees with the key to open




MS815-2

YUEQING LIDA LOCK CO., LTD.



CNLD®利达

MS815-3



主材料: 4# 锌合金;

表面处理:黑色;

功能及用途:适用于工具箱、文件柜、仪表箱等。


通过钥匙旋转90度开启 Main material: 4#,Zinc Alloy;

Surface treatment: Black;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right.



主材料: 4# 锌合金;

表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy;

Surface treatment: Chrome;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.


By turning the key 90 degrees to open and lock the switch,


the lock plate can be opened left and right.




MS401









主材料: 4# 锌合金;

表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。


通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。


Main material: 4#,Zinc Alloy;

Surface treatment: Chrome;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right.





主材料: 4# 锌合金;

表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy;

Surface treatment: Chrome;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.





MS401-3C

MS401-C

表面处理: 亮光铬

www.lidalock.com





主材料: 4# 锌合金 表面处理: 亮光铬

功能及用途:适用于工具箱、文件柜、仪表箱等


通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开


Main material: 4#,Zinc Alloy

Surface treatment: bright chrome Function and use: Applicable to the toolbox, filling cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right.







功能及用途:适用于工具箱、文件柜、仪表箱等


通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开


Main material: 4#,Zinc Alloy; Surface treatment: bright chrome Function and use: Applicable to the toolbox, filling cabinets, instrument boxes. By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right.




MS400-2-L









MS400-1-L

主材料: 4# 锌合金 表面处理: 亮光铬


功能及用途:适用于工具箱、文件柜、仪表箱等。 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。


Main material: 4#,Zinc Alloy


Surface treatment: bright chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right.







开孔尺寸/Cut out

主材料: 4# 锌合金; 表面处理:镀铬;


功能及用途:适用于工具箱、文件柜、仪表箱等。 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy; Surface treatment: Chrome;


Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.





MS403



MS403-A-B







主材料:4#锌合金; 表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。


通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy;

Surface treatment: Chrome; Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right



主材料: 4# 锌合金 表面处理:镀铬

主材料: 4# 锌合金;

通过钥匙旋转90度开启

Main material: 4#.Zinc Allov:

Surface treatment: Chrome;

表面处理:镀铬;


功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转 90 度开启 Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
Turn by 90 degrees with the key to open



Housing 开孔尺寸/Cut out



MS403-A

锌合金/半铁

主材料: 4# 锌合金/半铁 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等


通过钥匙旋转 90 度开启


Main material: 4#,Zinc Alloy/Half iron

Surface treatment: Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.


Turn by 90 degrees with the key to open





Function and use: Applicable to the toolbox, filing cabinets, instrument boxes Turn by 90 degrees with the key to open

功能及用途:适用于工具箱、文件柜、仪表箱等





开孔尺寸/Cut out


MS405-A



MS407







Φ24.5

开孔尺寸/Cut out


主材料:4#锌合金 表面处理:镀铬,喷塑黑


功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启 Main material: 4#,Zinc Alloy

Surface treatment: Chrome, Spray black

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes Turn by 90 degrees with the key to open





主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes


By turning the key 90 degrees to open and lock the switch,


the lock plate can be opened left and right





MS413






主材料: 4# 锌合金 表面处理:喷砂、镀铬


功能及用途:适用于工具箱、文件柜、仪表箱等 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开


Main material: 4#,Zinc Alloy Surface treatment: Sandblasted, chrome-plated

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right







主材料: PA 基座 /4# 锌合金锁芯

表面处理:黑色

功能及用途:适用于工具箱、文件柜、仪表箱等 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: PA base / 4 # zinc alloy lock cylinder Surface treatment: Black Function and use: Applicable to the toolbox, filing cabinets, instrument boxes. By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right




MS415


017




CNLD®利达

MS88A-A







主材料:4#锌合金;


表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启

Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
Turn by 90 degrees with the key to open



主材料: 4# 锌合金;

表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy

Surface treatment: Chrome Function and use: Applicable to the toolbox, filling cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch,


the lock plate can be opened left and right




MS88A-20



MS808





主材料: 4# 锌合金;


表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy

Surface treatment: Chrome
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right



主材料: 4# 锌合金;

表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy

Surface treatment: Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.



MS88A-25



CNLD®利达



主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等


通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开


Main material: 4#,Zinc Alloy Surface treatment: Chrome


Function and use: Applicable to the toolbox, filing cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right







主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Alloy

Surface treatment: Chrome Function and use: Applicable to the toolbox, filling cabinets, instrument boxes


By turning the key 90 degrees to open and lock the switch,


the lock plate can be opened left and right




MS730











主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开 Main material: 4#,Zinc Alloy

Surface treatment: Chrome Function and use: Applicable to the toolbox, filing cabinets, instrument boxes By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right





主材料: 4# 锌合金;

表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#.Zinc Allov Surface treatment: Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes





MS751




MS752

企业锁(基业锁)







主材料:PA 表面处理:黑色

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开


Main material: PA


Surface treatment: Black;


Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right







开孔尺寸/Cut out



MS753-3 多米诺(后门)

功能及用途:适用于工具箱、文件柜、仪表箱等 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: PA

表面处理:黑色

主材料:PA


Surface treatment: Black;


Function and use: Applicable to the toolbox, filing cabinets, instrument boxes. By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right



MS753-2

多米诺(前门)





主材料:PA; 表面处理:黑色;


功能及用途:适用于工具箱、文件柜、仪表箱等。 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。


Main material: PA


Surface treatment: Black


Function and use: Applicable to the toolbox, filing cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right









MS753 多米诺(多米诺新型)

主材料: 锌合金手柄/PA 基座;

表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: Zinc alloy handle / PA base Surface treatment: Chrome Function and use: Applicable to the toolbox, filing cabinets, instrument boxes


主材料: 4# 锌合金


Main material: 4#,Zinc Alloy;


Surface treatment: Chrome;

表面处理:镀铬

LD-20M(MS756-1)







主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等


通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Alloy;


Surface treatment: Chrome; Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right



YUEQING LIDA LOCK CO., LTD.




功能及用途:适用于工具箱、文件柜、仪表箱等

the lock plate can be opened left and right

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

By turning the key 90 degrees to open and lock the switch,

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.








JXS-1(757-1)



MS756-2








主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Alloy;

Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right



主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Alloy; Surface treatment; Chrome;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.




JXS-2(757-2)



CNLD®利达

MS705-K



主材料: 4# 锌合金 表面处理:孔雀绿

功能及用途:适用于工具箱、文件柜、仪表箱等


通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开


Main material: 4#,Zinc Alloy

Surface treatment: Malachite green Function and use: Applicable to the toolbox, filling cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right





开孔尺寸/Cut out

主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes


By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right



MS705-2M





主材料: 4# 锌合金

表面处理: 亮光铬/喷砂镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等


通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Alloy

Surface treatment: Gloss Chrome / Sandblasted Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right



主材料: 4# 锌合金

表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Allov


Surface treatment: Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes





CNLD®利达



主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等


通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Alloy; Surface treatment: Chrome;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right



主材料: 4# 锌合金 表面处理:黑色

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Alloy

Surface treatment: Black

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right



MS324-2






表面处理:镀铬 功能及用途:适用于工具箱、文件柜、仪表箱等 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开 Main material: 4#,Zinc Alloy Surface treatment: Chrome Function and use: Applicable to the toolbox, filing cabinets, instrument boxes MS826 By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right


MS826

主材料: 4# 锌合金



开孔尺寸/Cut out

Φ21.5



表面处理:镀铬 功能及用途:适用于工具箱、文件柜、仪表箱等 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开 Main material: 4#,Zinc Allov

Surface treatment: Chrome

主材料: 4# 锌合金

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes



MS18-20 弹子锁

转舌锁系列


www.lidalock.com

YUEQING LIDA LOCK CO., LTD.

CNLD®利达



MS 弹子锁



M18		M20		M22		
产品型号	Α	В	С	Н	D	E
M18-16	21.5	16.5	18	16	16.5	18.5
M20-16	23.5	18.5	20	16	18.5	20.5

22

16

20.5

M22-16 主材料: 4# 锌合金 表面处理:镀铬

www.lidalock.com

功能及用途:适用于工具箱、文件柜、仪表箱等

28

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开


Main material: 4#,Zinc Alloy Surface treatment: Chrome


Function and use: Applicable to the toolbox, filing cabinets, instrument boxes


20.5

By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right







主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch,


the lock plate can be opened left and right



MS913



MS330



主材料: A3, 钢


表面处理:镀铬 功能及用途:适用于工具箱、文件柜、仪表箱等


通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开


Main material:A3, Steel Surface treatment: Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right







开孔尺寸/Cut out

主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Allov Surface treatment: Chrome


Function and use: Applicable to the toolbox, filing cabinets, instrument boxes



MS816-E

YUEQING LIDA LOCK CO., LTD.






主材料:4#锌合金 表面处理:麻面黑

功能及用途:把手旋转90度开启、锁闭 多种锁片供参考选择。带塑料拉手

Main material: 4#,Zinc Alloy

Surface treatment:Matte black
Function and use: Handle is rotated 90 degrees open, JLosed
Choose a variety of locking plate for reference. With plastic handle



主材料:4 #锌合金、塑料外壳;

表面处理:黑色、灰色;


功能及用途:适用于工具箱、文件柜、仪表箱等。 手柄旋转 90 度开启、锁闭和切换锁片可实现左右通开。


Main material: 4#,Zinc Alloy, Plastic housing;

Surface treatment: Black, Gray;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes. The By turning the key 90 degrees to open and lock the switch,

the lock plate can be opened left and right








主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适用于工具箱、文件柜、仪表箱等 通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开

Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes

By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right



主材料:碳钢 表面处理: 亮光铬 功能及用途 360°旋转实现开启、锁闭 The main material: Carbon steel Surface treatment: Gloss Chrome Function and use

360 degree rotation to achieve open, JLosed






MS704-1 高压柜锁





MS434




主材料:4 #锌合金、塑料外壳;


表面处理:黑色;


功能及用途:适用于工具箱、文件柜、仪表箱等。 手柄旋转 90 度开启、锁闭和切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy, Plastic housing;

Surface treatment: Black;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes. The
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right







主材料:4#锌合金

结构说明:旋转锁芯90度,实现开启或锁闭


表面处理:镀铬

Main material: 4#,Zinc Alloy; Surface treatment: Chrome Structure description: Rotate the lock cylinder 90 degrees to open or lock




MS705-3C









主材料: 4# 锌合金

表面处理:蓝灰色

结构说明:旋转锁芯90度,实现开启或锁闭


备注:带挂系装置


Main material: 4#,Zinc Alloy; Surface treatment: Grey blue


Structure description: Rotate the lock cylinder 90 degrees to open or lock;

Remarks: with hanging device.









MS705-3H

主材料: 4# 锌合金 表面处理:镀铬

结构说明:旋转锁芯90度,实现开启或锁闭

Main material: 4#,Zinc Alloy;

Surface treatment: Chrome Structure description: Rotate the lock cylinder 90 degrees to open or lock

CNLD®利达

YUEQING LIDA LOCK CO., LTD.


www.lidalock.com



抽屉锁-A



抽屉锁-B



主材料: 4# 锌合金; 表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy;

Surface treatment: Chrome;
Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.
By turning the key 90 degrees to open and lock the switch,
the lock plate can be opened left and right




抽屉锁-C





抽屉锁-D



主材料: 4# 锌合金;

表面处理:镀铬;

功能及用途:适用于工具箱、文件柜、仪表箱等。

通过钥匙旋转90度开启、锁闭合切换锁片可实现左右通开。

Main material: 4#,Zinc Alloy;

Surface treatment: Chrome ;

Function and use: Applicable to the toolbox, filing cabinets, instrument boxes.

By turning the key 90 degrees to open and lock the switch, the lock plate can be opened left and right

CNLD®制达



HANDLE LOCK SERIES

www.lidalock.com


本实用新型公开了一种可方便地调整把手方向的杆状把手型门锁,以使其既适于左开门,也适于右开门。所述的手柄型门锁、由锁体、锁芯、 锁舌、两端转轴及把手组成,自锁体向外伸出的转轴的截面为多边形,与转轴相配的杆状把手的内孔是与转轴横截面相应的多边形孔。







MS301-A MS301-N



301,301-N区别图

主材料:4#锌合金/铝合金

表面处理:镀铬


功能及用途:适应单点闭锁,可供两点、三点锁闭使用

301, 301-N手柄长度图

实现左、右开启功能,旋转90度

Main material: 4#,Zinc Alloy/Aluminum alloy

Surface treatment: Chrome
Function and use: To to a single point of locking, for two, three lock to use
Realize left and right opening function, rotate 90 degrees



主材料: 4# 锌合金/铝合金

表面处理:镀铬

功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度

Main material: 4#,Zinc Alloy/Aluminum alloy

Surface treatment: Chrome

Function and use: To to a single point of locking, for two, three lock to use To achieve the right and left turn capabilities, rotate 90 degrees






MS303-2

MS303-A MS303-N





MS302-A



主材料: 4# 锌合金/铝合金

表面处理:镀铬


功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度

Main material: 4#,Zinc Alloy/Aluminum alloy

Surface treatment: Chrome

Function and use: To to a single point of locking, for two, three lock to use Realize left and right opening function, rotate 90 degrees



主材料: 4# 锌合金/铝合金

表面处理:镀铬

功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度

Main material: 4#,Zinc Alloy/Aluminum alloy

Surface treatment; Chrome

Function and use: To to a single point of locking, for two, three lock to use

Realize left and right opening function, rotate 90 degrees





MS304-N

039

MS302-2


手柄锁系列



MS305



MS305-A



主材料:4#锌合金/铝合金

表面处理:镀铬


功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度

Main material: 4#,Zinc Alloy/Aluminum alloy

Surface treatment: Chrome

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees



主材料: 4# 锌合金;

表面处理:镀铬;

功能及用途:适应单点闭锁,可供两点、三点锁闭使用。

实现左、右开启功能,旋转60度。螺杆式转轴可调锁片止口高度,活动式防尘盖防水性强。

Main material: 4#,Zinc Alloy;

Surface treatment: Chrome;

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 60 degrees.

The screw-type rotating shaft can adjust the height of the locking flap, and the movable dust cover is highly waterproof.




MS306-2-1





MS306-1A-1



主材料:锌、铝合金; 表面处理:表面镀铬、亮光


结构说明:旋转把手60度,实现开启或锁闭

适用门板厚度: 1-10mm

Main material: zinc, aluminum alloy;

Surface treatment: chrome plating, bright light
Structure description: Rotate the handle 60 degrees to realize opening or locking

Applicable door panel thickness: 1-10mm



主材料: 4# 锌合金; 表面处理:镀铬;

功能及用途:适应单点闭锁,可供两点、三点锁闭使用。

实现左、右开启功能,旋转60度。螺杆式转轴可调锁片止口高度,活动式防尘盖防水性强。

Main material: 4#,Zinc Alloy;

Surface treatment: Chrome;

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 60 degrees.

The screw-type rotating shaft can adjust the height of the locking flap,


and the movable dust cover is highly waterproof.



MS307

手柄锁系列

MS308-2




主材料: 4# 锌合金 表面处理:镀铬

www.lidalock.com

功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度 Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees



主材料: 4# 锌合金/铝合金

表面处理:镀铬

功能及用途:适应单点闭锁,可供两点、三点锁闭使用。

实现左、右开启功能,旋转90度。

Main material: 4#,Zinc Alloy/Aluminum alloy

Surface treatment: Chrome
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees




MS308-4



MS308-3



MS308-3 铜锁芯



主材料: 4# 锌合金/铝合金

表面处理:镀铬


功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度

Main material: 4#,Zinc Alloy/Aluminum alloy

Surface treatment: Chrome

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees



主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度

Main material: 4#,Zinc Allov Surface treatment: Chrome

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees



MS309

M 90°

功能及用途:适应单点闭锁,可供两点、三点锁闭使用

主材料: 4# 锌合金

实现左、右开启功能,旋转90度

Main material: 4#,Zinc Alloy


Surface treatment: Chrome

表面处理:镀铬






A-19



主材料: 4# 锌合金 表面处理:镀铬


功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度 Main material: 4#,Zinc Alloy Surface treatment: Chrome





A-45



主材料: 4# 锌合金; 表面处理:镀铬;

功能及用途:适应单点闭锁,可供两点、三点锁闭使用。

实现左、右开启功能,旋转90度。

Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees

M5 螺钉 开孔尺寸/Cut out

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees

转舌片

开孔尺寸/Cut out

Ts=2-0.5

主材料: 4# 锌合金; 表面处理:亮光铬;

功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度

Main material: 4#,Zinc Alloy; Surface treatment: Gloss Chrome;

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees



MS316



CNLD®利达


MS312





MS314




MS315














主材料: 4# 锌合金 表面处理: 亮光铬

功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度

Main material: 4#,Zinc Alloy Surface treatment: Gloss Chrome

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees




主材料:4#锌合金;

表面处理:镀铬;

功能及用途:适应单点闭锁,可供两点、三点锁闭使用。

实现左、右开启功能,旋转90度。 Main material: 4#,Zinc Alloy;

Surface treatment: Chrome; Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degre



主材料: 4# 锌合金 表面处理:镀铬

功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度

Main material: 4#,Zinc Alloy;

Surface treatment: Chrome;
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degre




MS18-1-1



AB701-3-1



CNLD®利达





主材料:4#锌合金 表面处理:镀铬

功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度 Main material: 4#,Zinc Alloy; Surface treatment: Chrome;

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees





主材料:4#锌合金; 表面处理:镀铬

功能及用途:适应单点闭锁,可供两点、三点锁闭使用


实现左、右开启功能,旋转90度。 Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees










主材料: 4# 锌合金; 表面处理:镀铬;

功能及用途:适应单点闭锁,可供两点、三点锁闭使用。

实现左、右开启功能,旋转90度。

Main material: 4#,Zinc Alloy; Surface treatment: Chrome;

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees



主材料: 4# 锌合金 表面处理:麻面黑

实现左、右开启功能,旋转90度

Main material: 4 # zinc alloy Surface treatment: Matte black Realize left and right opening function, rotate 90 degrees




MS324-3

YUEQING LIDA LOCK CO., LTD.

www.lidalock.com



MS868



主材料:铝合金/锌合金

表面处理:黑色


功能及用途:适应单点闭锁,可供两点、三点锁闭使用

实现左、右开启功能,旋转90度

Main material: Aluminum alloy/Zinc alloy

Surface treatment: Black

Function and use: Adapt to single-point lock, available for two-point and three-point lock Realize left and right opening function, rotate 90 degrees



主材料: 4# 锌合金 表面处理:蓝灰

功能及用途:适应单点闭锁,可供两点、三点锁闭使用


实现左、右开启功能,旋转90度 Main material: 4#,Zinc Alloy;

Surface treatment: Blue gray
Function and use: Adapt to single-point lock, available for two-point and three-point lock
Realize left and right opening function, rotate 90 degrees



MS877-2






主材料:铝合金 表面处理:黑色

实现左、右开启功能,旋转90度

Main material: Aluminum alloy

Surface treatment: Black Realize left and right opening function, rotate 90 degrees



主材料:塑料 表面处理:亚黑、深蓝

功能及用途

适用各种中、高档推拉门、工具箱、配电柜等拉手

The main material: Plastic

Surface treatment: Asian black,Deep Blue Function and use:Suitable for various middle and high-grade sliding doors, tool boxes, power distribution cabinets and other handles

MS877-3



平板锁系列

FLAT LOCK SERIES


www.lidalock.com

面板锁属于一种冲压件,是铁的,一般都是成套的。属于五金门锁领域,提供一种面板锁的面板构造,所采用的技术方案为:设有壳体和内衬, 所述壳体由彩钢板冲压而成,侧边设有铆压片;所述内衬由树脂注塑成型,所述内衬内设有嵌孔,嵌孔内嵌入螺栓或螺母;或者使用镶嵌件 注塑工艺,将螺栓或螺母嵌入注塑模具内,内衬注塑成形时即将螺栓或螺母包覆在内。

YUEQING LIDA LOCK CO., LTD.

www.lidalock.com






主材料:不锈钢 表面处理:镜面抛光;

功能及用途:适用于工具箱、文件柜、仪表箱等 手柄旋转 90 度开启、锁闭和切换锁片可实现左右通开

Main material: stainless steel; Surface treatment: mirror reflection; Function and use: suitable for tool box, file cabinet, meter box, etc The handle rotates 90 degrees to open, lock and switch the lock plate to achieve left and right opening



MS857



主材料: A3 钢 表面处理:麻面黑

功能及用途:适用于工具箱、文件柜、仪表箱等 手柄旋转 90 度开启、锁闭和切换锁片可实现左右通开

Main material: A3 steel

Surface treatment: Matte black

Function and use: suitable for tool box, file cabinet, meter box, etc

The handle rotates 90 degrees to open, lock and switch the lock plate to achieve left and right opening



MS886-3


CNLD®利达


YUEQING LIDA LOCK CO., LTD.

www.lidalock.com



MS866-5






主材料: A3 钢; 表面处理:麻面黑

功能及用途:适用于工具箱、文件柜、仪表箱等。


手柄旋转90度开启、锁闭和切换锁片可实现左右通开。


Main material: A3 steel; Surface treatment: Black;


Function and use: suitable for tool box, file cabinet, meter box, etc The handle rotates 90 degrees to open, lock and switch the lock plate to achieve left and right opening



MS858-1







开孔尺寸/Cut out

主材料:锌合金、不锈钢

表面处理:麻面黑

功能及用途:适用于工具箱、文件柜、仪表箱等 手柄旋转 90 度开启、锁闭和切换锁片可实现左右通开

Main material:Zinc alloy, stainless; Surface treatment: Black;

Function and use: suitable for tool box, file cabinet, meter box, etc

The handle rotates 90 degrees to open, lock and switch the lock plate to achieve left and right opening

CNLD®制达



FLAT LOCK SERIES

www.lidalock.com

平面锁是一种具有锁结构的按钮式平面把手装置,该装置包括以下部分:固定于门扉的壳体及可转动但不能沿轴向移动地嵌插在壳体的一端部的 轴筒部内,并在后端部固定有止动板的上锁轴。




CNLD®利达

MS603-1 MS603-1H



MS603-2 MS603-2H




产品型号	A	В	C
短基座,砂铬	85	72	62
长基座,砂铬	115	100	90

主材料:4#锌合金 表面处理:喷砂镀铬、黑色 功能及用途:外形美观、超薄形平面 按钮式小型配电箱锁。

Main material: 4#,Zinc Alloy

Surface treatment: Sandblasted chrome, black Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



主材料: 4# 锌合金 表面处理:镀铬


功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: beautiful appearance, ultra-thin plane

Button type small distribution box lock




MS501





MS380-3



主材料: 4# 锌合金


表面处理:亚光黑、亮光铬、纳米亚光;

功能及用途:外形美观、超薄形平面。拉钮式,防水性能强。 附件系列内有多种锁片供参考选用。

There are a variety of locks in the accessory series for reference

Main material: 4 # zinc alloy

Surface treatment: matt black, bright chrome, nano matt Function and use: beautiful appearance, ultra-thin plane Push button type, strong waterproof performance



主材料: 4# 锌合金 表面处理:镀铬

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy


Surface treatment: Chrome





CNLD®利达

MS503-2



主材料:4#锌合金 表面处理:镀铬


功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁 Main material: 4#,Zinc Alloy

Surface treatment: Chrome

Function and use: beautiful appearance, ultra-thin plane

Button type small distribution box lock



主材料: 4# 锌合金 表面处理:镀铬

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy;

Surface treatment: Chrome; Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock






MS490-1 白 MS490-1 黑




MS490-2黑 MS490-2 白



主材料: 4# 锌合金 表面处理:亚光、黑色 功能及用途:外形美观、超薄形平面 按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Matt, black Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



主材料: 4# 锌合金 表面处理:镀铬

功能及用途:外形美观、超薄形平面


按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Chrome





CNLD®利达




主材料:4#锌合金 表面处理:镀铬

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁 Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: beautiful appearance, ultra-thin plane

Button type small distribution box lock




主材料: 4# 锌合金 表面处理:镀铬

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy;


Surface treatment: Chrome; Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock





MS509-2





主材料: 4# 锌合金 表面处理:镀铬


功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: beautiful appearance, ultra-thin plane

Button type small distribution box lock



主材料: 4# 锌合金 表面处理:黑色、亮光铬

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Black, Gloss Chrome





MS606-2




CNLD®利达

MS618 黑




MS618-2 白



主材料:4#锌合金 表面处理:纳米亚光、黑色 功能及用途:外形美观、超薄形平面 按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Nano matt, black Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



主材料:锌/铝合金

表面处理: 亮光铬、纳米亚光、亚光铬功能及用途: 外形美观、超薄形平面

按钮式小型配电箱锁


Main material: Zinc / Aluminum alloy Surface treatment: Bright chrome, nano matt, matt chrome Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



MS712

MS712-G





主材料: 4# 锌合金 表面处理:纳米亚光

功能及用途:外形美观、超薄形平面。

按钮式小型配电箱锁。 Main material: 4#,Zinc Alloy Surface treatment: Nano matt

Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock

开孔尺寸/Cut out

主材料:锌/铝合金

表面处理:亮光铬、纳米亚光、亚光铬 功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy

Surface treatment: Bright chrome, nano matt, matt chrome Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock





MS713 亮光


MS713-G

www.lidalock.com





MS726




主材料: 4# 锌合金 表面处理:黑色

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy;

Surface treatment: Black; Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



主材料:锌/铝合金表面处理:纳米亚光

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁


Main material: Zinc / Aluminum alloy Surface treatment: Nano Matt Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock





MS732-2






主材料: 4# 锌合金 表面处理:镀铬

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Chrome

Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



主材料: 4# 锌合金 表面处理:黑色

功能及用途:外形美观、超薄形平面


按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Black





CNLD®利达



主材料: 4# 锌合金 / 不锈钢


表面处理:镀镍

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy/stainless steel

Surface treatment: Nickel plated Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



主材料: 4# 锌合金 表面处理:麻面黑

功能及用途:外形美观、超薄形平面


按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Matte black

Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock








主材料: 4# 锌合金 表面处理:麻面黑

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Matte black

Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



主材料: 4# 锌合金 表面处理:麻面黑

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Matte black

Function and use: beautiful appearance, ultra-thin plane

Button type small distribution box lock




CNLD®利达

AB301



AB302



型号	Α	В	С	D	E	F	L
AB301	33	178	21	11	14	26.5	117
AB302	30	120	19	8	12	23.5	95.5


主材料:锌/铝合金 表面处理:纳米亚光

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: Zinc / Aluminum alloy Surface treatment: Nano Matt

Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



型号	Α	В	C	D	L	W
AB401-1	40	151	33.5	29.5	117	26.5
AB401-2	36.5	123	31	29.5	95.5	23.5
AB401-3	33.5	93	26	28	63.5	23.5

主材料:4#锌合金

表面处理:纳米亚光、亚光铬 功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

主材料: 4# 锌合金

表面处理:亚光铬

按钮式小型配电箱锁

功能及用途:外形美观、超薄形平面

Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock

Main material: 4#,Zinc Alloy Surface treatment: Matt chrome

Main material: 4#,Zinc Alloy

Surface treatment: Nano matt, matt chromium Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock

YUEQING LIDA LOCK CO., LTD.

www.lidalock.com



AB401-1



AB401-2



AB401-3







主材料: 4# 锌合金 表面处理:纳米亚光、亚光黑、亚光铬 功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Nano matt, matt black, matt chromium Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock








AB402

AB303



MS208-4K



主材料:4#锌合金

表面处理:纳米亚光

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy


Surface treatment: Nano Matt


功能及用途:外形美观、超薄形平面

Button type small distribution box lock


Function and use: beautiful appearance, ultra-thin plane


www.lidalock.com





开孔尺寸/Cut out








主材料:4#锌合金; 表面处理: 亮光铬、亚光铬 功能及用途: 外形美观、超薄形平面。 按钮式小型配电箱锁。


Main material: 4#,Zinc Alloy; Surface treatment: Bright chrome, matt chrome Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock





主材料: 4# 锌合金 表面处理: 亮光铬、亚光铬 功能及用途:外形美观、超薄形平面 按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Bright chrome, matt chrome Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



主材料: 4# 锌合金; 表面处理:亮光铬、亚光铬 功能及用途:外形美观、超薄形平面。 按钮式小型配电箱锁。

Main material: 4#,Zinc Alloy; Surface treatment: Bright chrome, matt chrome Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



YUEQING LIDA LOCK CO., LTD.


www.lidalock.com



AB302-G




AB302-F




www.lidalock.com

主材料:4#锌合金 表面处理:纳米亚光 功能及用途:外形美观、超薄形平面 按钮式小型配电箱锁 Main material: 4#,Zinc Alloy Surface treatment: Nano Matt Function and use: beautiful appearance, ultra-thin plane

Button type small distribution box lock



开孔尺寸/Cut out



主材料: 4# 锌合金

表面处理:纳米亚光、亚光铬、亮光铬

功能及用途:外形美观、超薄形平面;UP手提式,防水性能强

附件系列内有多种锁片供参考选用

Main material: 4 # zinc alloy

Surface treatment: Nano matt, matt chrome, bright chrome Functions and uses: beautiful appearance, ultra-thin flat surface; UP portable, strong waterproof performance


There are a variety of locks in the accessory series for reference



MS208-2K



MS380-D




主材料: 4# 锌合金 表面处理:纳米亚光

功能及用途:外形美观、超薄形平面

按钮式小型配电箱锁

Main material: 4#,Zinc Alloy Surface treatment: Nano Matt

Function and use: beautiful appearance, ultra-thin plane Button type small distribution box lock



主材料: 4# 锌合金 表面处理:纳米亚光

功能及用途:外形美观、超薄形平面; UP提手式。防水性能强

多种锁片供参考选择

Main material: 4#,Zinc Alloy; Surface treatment: Nano Matt

Functions and uses: beautiful appearance, ultra-thin flat surface; UP portable, strong waterproof performance There are a variety of locks in the accessory series for reference




MS843-1



MS843-2


MS843-3





CNLD®利达

AB731




主材料:4#锌合金;

表面处理:镀铬;

功能及用途:外形美观、超薄形平面;按钮式,防水性能强

附件系列内有多种锁片供参考选用 Main material: 4#,Zinc Alloy

Surface treatment: Chrome-Plated Functions and uses: beautiful appearance, ultra-thin flat surface; UP portable, strong waterproof performance There are a variety of locks in the accessory series for reference




主材料: 4# 锌合金 表面处理:麻面黑 Main material: 4#,Zinc Alloy Surface treatment: Matte black



MS380-3D





主材料: 4# 锌合金 表面处理:黑色


功能及用途:外形美观、超薄形平面;按钮式,防水性能强

附件系列内有多种锁片供参考选用

Main material: 4#,Zinc Alloy Surface treatment: Black

Functions and uses: beautiful appearance, ultra-thin flat surface;

UP portable, strong waterproof performance
There are a variety of locks in the accessory series for reference



主材料: 4# 锌合金 表面处理:纳米亚光 多种型号供参考选择

Main material: 4#,Zinc Alloy; Surface treatment: Nano Matt Multiple models for reference selection





CNLD®利达

MS887

<u>挂锁座</u> Lock catch 30.2 41.2 58.5 *05 开孔尺寸Cut out


主材料:铝合金;

表面处理:灰蓝、亮光铬 结构说明:提起盖子,旋转把手,实现开启或锁闭

适用门板厚度:1-4.5mm

备注:选配三点钢栓,带挂锁装置,钢栓开孔口10×10

Main material: aluminum alloy Surface treatment: gray blue, bright chrome Structure description: Lift the cover and rotate the handle to realize opening or locking Applicable door thickness: 1-4.5mm Note: Optional three-point steel bolt with padlock device, steel bolt opening ${\tt l}$ 10 \times 10



主材料:锌合金

表面处理:亚光铬、亮光铬

功能及用途:外形美观、超薄形平面; UP 提手式。防水性能强

多种锁片供参考选择

Main material: Zinc alloy


Surface treatment: matt chrome, bright chrome Functions and uses: beautiful appearance, ultra-thin plane;

UP handle type. Strong waterproof performance Multiple locking tabs for reference selection





MS888



主材料:铝合金 表面处理:蓝灰


结构说明:提起盖子,旋转把手,实现开启或锁闭

适用门板厚度:1-4.5mm

Main material: aluminum alloy;

Surface treatment: Blue gray
Structure description: Lift the cover and rotate the handle to realize opening or locking

Applicable door thickness: 1-4.5mm



主材料: 4# 锌合金 / 不锈钢 /ABS(电子)

表面处理:麻面黑 适用门板厚度:1~5mm 额定工作电压:12VDC

输入电压范围: DC10.8V~13.2V

Main material: 4 # zinc alloy / stainless steel / ABS (electronic)

Surface treatment: Matte black Applicable door thickness: 1~5mm Rated working voltage: 12VDC Input voltage range: DC10.8V~13.2V



电子锁



连杆锁系列

LINK LOCK SERIES


www.lidalock.com

连杆锁,用于锁住金属板式柜框或者类似门框或者箱框内的盖,包括与门边平行的,基本上竖立在门或者框上的,最好设置在其旋角空间上 纵向延伸的成型连杆,如扁平杆;包括至少一个安装在门框或者门上的定位件,用于将门锁住在关闭位置时接受连杆;包括与门板连接的连 杆的操作装置。

YUEQING LIDA LOCK CO., LTD.

www.lidalock.com





主材料:4#锌合金 表面处理:纳米亚光、亚光黑

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用

可互换左、右开门安装,外形美观,防水性能强

Main material: 4 # zinc alloy


Surface treatment: Nano matt, matt black

Function and use: It adopts gear and rack drive for two-point and three-point locking

Interchangeable left and right door installation, beautiful appearance,

strong waterproof performance





主材料: 4# 锌合金

表面处理:纳米亚光、亚光黑 功能及用途:可供两点、三点锁闭使用 可互换左、右开门安装,外形美观,防水性能强

Main material: 4 # zinc alloy Surface treatment: Nano matt, matt black


Function and use: available for two-point and three-point locking

Interchangeable left and right door installation,

beautiful appearance, strong waterproof performance







主材料: 4# 锌合金

表面处理:纳米亚光、亚光黑

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用

可互换左、右开门安装,外形美观,防水性能强


Main material: 4 # zinc alloy

Surface treatment: Nano matt, matt black

Function and use: It adopts gear and rack drive for two-point and three-point locking

Interchangeable left and right door installation, beautiful appearance,

strong waterproof performance



主材料:4#锌合金 表面处理:纳米亚光

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用

可互换左、右开门安装,外形美观,防水性能强

Main material: 4 # zinc alloy

Surface treatment: Nano Matt


Function and use: It adopts gear and rack drive for two-point and three-point locking

Interchangeable left and right door installation, beautiful appearance,

strong waterproof performance







主材料: 4# 锌合金

表面处理:纳米亚光、亚光黑


功能及用途:可供两点、三点锁闭使用 可互换左、右开门安装,外形美观,防水性能强

Main material: 4 # zinc alloy Surface treatment: Nano matt, matt black

Function and use: available for two-point and three-point locking

Interchangeable left and right door installation,

beautiful appearance, strong waterproof performance



主材料: 4# 锌合金 表面处理:米黄

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用。

可互换左、右开门安装,外形美观,防水性能强。


The main material:4# zinc alloy

Surface treatment: Cream-colored

Function and use: It adopts gear and rack drive for two-point and three-point locking Interchangeable left and right door installation, beautiful appearance,

strong waterproof performance





主材料:锌、铝合金 表面处理:纳米亚光、亚光黑

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用


可互换左、右开门安装,外形美观,防水性能强

Main material: 4 # zinc alloy

Surface treatment: Nano matt, matt black

Function and use: It adopts gear and rack drive for two-point and three-point locking Interchangeable left and right door installation, beautiful appearance,

strong waterproof performance



主材料:4#锌合金 表面处理:米黄色

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用

可互换左、右开门安装,外形美观,防水性能强

Main material: 4 # zinc alloy

Surface treatment: beige


Function and use: It adopts gear and rack drive for two-point and three-point locking

Interchangeable left and right door installation, beautiful appearance,

strong waterproof performance







主材料: 4# 锌合金

表面处理:米黄色

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用

可互换左、右开门安装,外形美观,防水性能强


Main material: 4 # zinc alloy

Surface treatment: beige

Function and use: It adopts gear and rack drive for two-point and three-point locking

Interchangeable left and right door installation, beautiful appearance,

strong waterproof performance



主材料: 4# 锌合金 表面处理:亚光黑

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用

可互换左、右开门安装,外形美观,防水性能强


Main material: 4 # zinc alloy Surface treatment: matt black

Function and use: It adopts gear and rack drive for two-point and three-point locking. Interchangeable left and right door installation, beautiful appearance,

strong waterproof performance







主材料: 4# 锌合金 表面处理:亚光黑

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用

可互换左、右开门安装,外形美观,防水性能强


Main material: 4 # zinc alloy

Surface treatment: matt black

Function and use: It adopts gear and rack drive for two-point and three-point locking.

Interchangeable left and right door installation, beautiful appearance,

strong waterproof performance



材质:尼龙/PA6+30%GF

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用

可互换左、右开门安装,外形美观,防水性能强


Material: Nylon / PA6 + 30% GF

Function and use: It adopts gear and rack drive for two-point and three-point locking

Interchangeable left and right door installation, beautiful appearance and strong waterproof performance.







主材料: 4# 锌合金


表面处理:麻面黑 功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用

可互换左、右开门安装,外形美观,防水性能强

Main material: 4 # zinc alloy Surface treatment: Matte black

Function and use: It adopts gear and rack drive for two-point and three-point locking Interchangeable left and right door installation, beautiful appearance,

strong waterproof performance



材质:尼龙/PA6+30%GF

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用。

可互换左、右开门安装,外形美观,防水性能强。


Material: Nylon / PA6 + 30% GF

Function and use: It adopts gear and rack drive for two-point and three-point locking Interchangeable left and right door installation,

beautiful appearance and strong waterproof performance.








材质:尼龙/PA6+30%GF

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用可互换左、右开门安装,外形美观,防水性能强

Material: Nylon / PA6 + 30% GF Function and use: It adopts gear and rack drive for two-point and three-point locking Interchangeable left and right door installation, beautiful appearance and strong waterproof performance.



材质:尼龙/PA6+30%GF


功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用可互换左、右开门安装,外形美观,防水性能强

Material: Nylon / PA6 + 30% GF
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation,
beautiful appearance and strong waterproof performance.



MS840-2D






材质:尼龙/PA6+30%GF

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用

可互换左、右开门安装,外形美观,防水性能强

Material: Nylon / PA6 + 30% GF

Function and use: It adopts gear and rack drive for two-point and three-point locking Interchangeable left and right door installation, beautiful appearance and strong waterproof performance.



材质:尼龙/PA6+30%GF/锌合金

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用

可互换左、右开门安装,外形美观,防水性能强

Material: Nylon / PA6 + 30% GF/Zinc alloy Function and use: It adopts gear and rack drive for two-point and three-point locking Interchangeable left and right door installation, beautiful appearance and strong waterproof performance.







YUEQING LIDA LOCK CO., LTD.

www.lidalock.com









MS848-4B

材质:尼龙/PA6+30%GF

表面处理:黑色

功能及用途:采用齿轮、齿条传动,可供两点、三点锁闭使用可互换左、右开门安装,外形美观,防水性能强

Material: Nylon / PA6 + 30% GF
Surface treatment: black
Function and use: It adopts gear and rack drive for two-point and three-point locking
Interchangeable left and right door installation, beautiful appearance,
strong waterproof performance





HINGE SERIES


www.lidalock.com


铰链又称合页是用来连接两个固体并允许两者之间做相对转动的机械装置。铰链可由可移动的组件构成,或者由可折叠的材料构成。合页主要安 装于门窗上,而铰链更多安装于橱柜上,按材质分类主要分为,不锈钢铰链和铁铰链;为让人们得到更好的享受又出现了液压铰链(又称阻尼铰链), 其特点是在柜门关闭时带来缓冲功能,最大程度的减小了柜门关闭时与柜体碰撞发出的噪音。












主材料: 4# 锌合金 表面处理:亮光铬


功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy Surface treatment: bright chrome Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance





主材料:4#锌合金 表面处理:亮光铬,黑色 功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy


Surface treatment: bright chrome, black Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



CL002-2






主材料: 4# 锌合金 表面处理: 亮光铬

功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy Surface treatment: bright chrome Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料: 4# 锌合金 表面处理:亮光铬

功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致


Main material: 4 # zinc alloy Surface treatment: bright chrome

Function and use: 4 # zinc alloy
Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



CL002-3






主材料:4#锌合金表面处理:亮光铬

功能及用途:采用 4# 锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy Surface treatment: bright chrome Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料:锌合金表面处理:黑色

功能及用途:采用 4# 锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: Zinc alloy Surface treatment: black Function and use: 4 # zinc alloy


Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



CL004-2



CL004-1




主材料:锌合金表面处理:黑色

功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: Zinc alloy Surface treatment: black Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料:铸铁 表面处理:黑色

功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: cast iron Surface treatment: black Function and use: 4 # zinc alloy


Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance





CL004-3



CL007-1







主材料:4#锌合金; 表面处理:黑色,孔雀绿 功能及用途:采用4#锌合金


抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy;

Surface treatment: black, peacock green

Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料:4#锌合金;表面处理:亚光;

功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致


Main material: 4 # zinc alloy Surface treatment: matt Function and use: 4 # zinc alloy


Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance






CL007-2







40.5 20 80 17.5 25


开扎尺寸/Cut out


主材料:4#锌合金 表面处理:黑色,孔雀绿 功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致。

Main material: 4 # zinc alloy Surface treatment: black, peacock green Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance.







功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy Surface treatment: matt Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



CL011-2

铰链系列



CL012-3A




CL012-2 CL012-2A




CL012-1

CL012-1A



www.lidalock.com



ī			+		A 8
<u>L</u>			- A		
С	D	E	F	G	
16.5	18.4	8	15	8	
12.5	6.3	6	11.5	6	-

CL012-3 40 40 10.2 主材料:4#锌合金 表面处理:亚光黑、亮白铬功能及用途:采用4#锌合金

60

50

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

60

50

Main material: 4 # zinc alloy

型号 CL012-1


CL012-2


Surface treatment: matt black, bright white chrome

Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance

5.3





主材料: 4# 锌合金

表面处理:纳米亚光、亚光黑 功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy

Surface treatment: Nano matte, Matt black

Function and use: 4 # zinc alloy


Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance







CL016



主材料: 4# 锌合金 表面处理:亚光黑、亮白铬 功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致


Main material: 4 # zinc alloy Surface treatment: matt black, bright white chrome


Function and use: 4 # zinc alloy Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance


A 型


沉孔型 Sink hole

В型









CL018

主材料: 4# 锌合金 表面处理:亚光黑 功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

门板开孔/Cut out

Main material: 4 # zinc alloy Surface treatment: matt black Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




CL023-2





CL023-1




CL020









主材料: 4# 锌合金 表面处理:亚光黑、亮光铬 功能及用途:采用4#锌合金


抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy

Surface treatment: matt black, bright chrome

Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



F												
型号	Α	В	С	D	E	F	G	Н	J	K	L	М
CL023-1	8	20	M4	35	45	60	50	18	Ф8	11	14	18
CL023-2	4	13	M4	22	22	30	22	13	Ф5	8	10	9
CL023-3	4	18.5	M4	27.5	22	30	22	13	Ф5	8	10	14.5

主材料:4#锌合金

表面处理:亚光黑、亮光铬、纳米亚光

功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致


Main material: 4 # zinc alloy

Surface treatment: matt black, bright chrome, nano matt

Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance






主材料: 4# 锌合金 表面处理:亚光黑、亮光铬 功能及用途:采用4#锌合金


抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy Surface treatment: matt black, bright chrome

Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance





主材料: A3 钢 表面处理:镀锌碳钢 功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: A3 steel

Surface treatment: galvanized carbon steel

Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




CL024



CL032

CNLD®利达




主材料: 4# 锌合金 表面处理:亚光黑

功能及用途:采用4#锌合金


抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy Surface treatment: matt black Function and use: 4 # zinc alloy


Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



YUEQING LIDA LOCK CO., LTD.



左开门(LH)



主材料: 4# 锌合金

表面处理:亚光黑、纳米亚光 功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy

Surface treatment: matt black, nano matt

Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance






CL203-1



CL203-2



CL203-3





主材料: 4# 锌合金 表面处理:亚光黑、纳米亚光 功能及用途:采用4#锌合金


抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy Surface treatment: matt black, nano matt Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance







型号	Α	В	С	D	E	F
CL231-1	11.5	11.5	14.5	80	68	Ф4.2
CL231-2	9.5	9.5	13	60	48	Ф4.2
CL231-3	8.1	8.1	11.5	51	40	Ф3.1

主材料: 4# 锌合金 表面处理:亮光铬

功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy Surface treatment: bright chrome Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



YUEQING LIDA LOCK CO., LTD.



CL019

CNLD®利达



CL019-A

镶嵌螺钉

主材料:4#锌合金; 表面处理:亚光黑、亮光铬 功能及用途:采用4#锌合金


抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy;

Surface treatment: matt black, bright chrome

Function and use: 4 # zinc alloy,

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



产品材质:锌/铝合金

表面处理:纳米亚光、亚光黑、亮光铬结构说明:可开启角度180度

备注:螺柱、沉孔多款可选

Product material: zinc / aluminum alloy

Surface treatment: Nano matt, matt black, bright chrome Structure description: 180 degrees can be opened Remarks: Studs and countersinks are available








CL226-4



CL226-4A



CL226-6A




主材料: 4# 锌合金; 表面处理:亚光黑、亮光铬 功能及用途:采用4#锌合金,

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy; Surface treatment: matt black, bright chrome

Function and use: 4 # zinc alloy,

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



产品材质:锌/铝合金

表面处理:纳米亚光、亚光黑、亮光铬

结构说明:可开启角度 180度 备注:螺柱、沉孔多款可选

Product material: zinc / aluminum alloy Surface treatment: Nano matt, matt black, bright chrome

Structure description: 180 degrees can be opened Remarks: Studs and countersinks are available



CL226-7



CL226-7



CL226-7A

CNLD®利达










CL226-5A



主材料:4#锌合金; 表面处理:亚光黑、亮光铬 功能及用途:采用4#锌合金


抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy;

Surface treatment: matt black, bright chrome

Function and use: 4 # zinc alloy,

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



YUEQING LIDA LOCK CO., LTD.

www.lidalock.com

主材料: 4# 锌合金 表面处理:亚光黑

功能及用途:产品具有抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

可旋转角度 180°

Main material: 4 # zinc alloy Surface treatment: matt black

Function and use: The product has tensile strength,

torque, strong abrasion resistance, corrosion resistance, exquisite appearance Rotation angle 180 $^\circ$



CL255






CL235-1



CL235-2




产品型号	L1	L2	L3	L4	H1	H2
JL235-1	79	65	50	42	8.5	17
JL235-2	65	55.5	40	38	7	12.5

主材料: 4# 锌合金; 表面处理:亚光黑、亮光铬 功能及用途:采用4#锌合金,

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy; Surface treatment: matt black, bright chrome Function and use: 4 # zinc alloy,

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料:4#锌合金 表面处理:亚光黑


功能及用途:采用4#锌合金, 抗拉强度、扭力、磨损性能强,外观精致

Main material: 4 # zinc alloy Surface treatment: matt black Function and use: 4 # zinc alloy,


Strong tensile strength, torsion and wear performance, exquisite appearance




CL021-1



CL021-2






主材料:4#锌合金 表面处理:亚光黑

功能及用途:采用4#锌合金 抗拉强度、扭力、磨损性能强,外观精致

Main material: 4 # zinc alloy Surface treatment: matt black Function and use: 4 # zinc alloy

Strong tensile strength, torsion and wear performance, exquisite appearance



主材料:4#锌合金 表面处理:黑色

功能及用途: 采用4#锌合金


抗拉强度、扭力、磨损性能强,外观精致

Main material: 4 # zinc alloy Surface treatment: black Function and use: 4 # zinc alloy


Strong tensile strength, torsion and wear performance, exquisite appearance










CL104










主材料:4#锌合金 表面处理:磨砂

功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,外观精致

Main material: 4 # zinc alloy Surface treatment: Frosted Function and use: 4 # zinc alloy

Strong tensile strength, torsion and wear performance, exquisite appearance



主材料:4 #锌合金 表面处理:亚光黑,纳米亚光,亮光铬,亚光铬

功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,外观精致

Main material: 4 # zinc alloy Surface treatment: Matt black, nano matt, bright chrome, matt chrome Function and use: 4 # zinc alloy Strong tensile strength, torsion and wear performance, exquisite appearance



CL050-1 CL050-2





CL050-2D

CL050-3

铰链系列



CL011-1F CL011-2F

CNLD®利达



CL011-2 CL011-2D




CL011-4


CL011-5





CL011-5D


CL011-6















CL011-6






主材料: 锌/铝合金 表面处理: 纳米喷塑,亚黑 Main material:

Zinc/aluminum alloy Surface treatment: Nano spray, sub black



抽屉柜铰链 24

抽屉柜铰链 34



主材料:铝合金/ABS 表面处理:本色磨砂,黑色 结构说明:

铝二通

Main material: aluminum alloy / ABS Surface treatment: natural matte, black

Structure Description:



铝二通 铝




铝二通 塑料



CL225 中



CL225 小



主材料: A3 钢

表面处理:蓝白锌

结构说明:卡式铰链,可开启角度130度


CL225/J\

适用门板厚度:1-2.3mm Main material: A3 steel

Surface treatment: blue and white zinc

Structural description: card hinge, can be opened at an angle of 130 degrees

Applicable door thickness: 1-2.3mm



主材料: 4# 锌合金; 表面处理:黑色,孔雀绿 功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

YUEQING LIDA LOCK CO., LTD.

www.lidalock.com

Main material: 4 # zinc alloy;

Surface treatment: black, peacock green


Function and use: 4 # zinc alloy


Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




CL007-3











主材料:铁,不锈钢 表面处理:蓝白锌、本色 功能及用途:采用4#锌合金


抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: iron, stainless steel

Surface treatment: blue and white zinc, natural color

Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



主材料: 4# 锌合金 表面处理:黑色,孔雀绿 功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致。

Main material: 4 # zinc alloy Surface treatment: black, peacock green

Function and use: 4 # zinc alloy Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance.



CL007-4

CNLD®利达

YUEQING LIDA LOCK CO., LTD.

www.lidalock.com




CL035





CL036




CL037









主材料:4#锌合金

表面处理: 亮光铬、纳米亚光 功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy

Surface treatment: bright chrome, nano matt Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance




CL038




CL039



CL040






主材料:4#锌合金 表面处理:亮光铬、纳米亚光 功能及用途:采用4#锌合金

抗拉强度、扭力、磨损性能强,耐腐蚀,外观精致

Main material: 4 # zinc alloy Surface treatment: bright chrome, nano matt

Function and use: 4 # zinc alloy

Strong tensile strength, torque, wear resistance, corrosion resistance, exquisite appearance



搭扣系列

www.lidalock.com

BUCKLE SERIES

搭扣是机箱或木箱附件,它可使箱盖较紧密的盖在箱体上,同时还可用挂锁锁闭,开启也比较方便。 主要材质:不锈钢、铁、铜、锌合金、塑料、橡胶等。

主材料:4#锌合金

Main material: 4 # zinc alloy




DK725

开孔尺寸/Cut out

材质: ABS 塑料 表面处理:黑色、灰色、米白 Material: ABS Plastic;

www.lidalock.com

Surface treatment: Black, Gray, Beige





表面处理:纳米亚光、亚光黑、亮光格功能及用途:适用各种中、高档推拉门、工具箱、配电柜等产品,

Function and use: Suitable for various middle and high-grade sliding doors,

With tensile strength, strong wear resistance, corrosion resistance, exquisite appearance

具有抗拉强度、磨损性能强,耐腐蚀,外观精致

tool boxes, power distribution cabinets, etc

Surface treatment: Nano matt, matt black, bright chrome





DKS-1





搭扣系列

DKS-1-1



MS406 插销






主材料:铝合金 表面处理:镀铬

功能及用途:外形美观、超薄形平面;按钮式,防水性能强 附件系列内有多种锁片供参考选用

Main material: Aluminum alloy Surface treatment: chrome

Function and use: beautiful appearance, ultra-thin plane;

Button type, strong waterproof performance
There are a variety of locks in the accessory series for reference





表面处理:纳米亚光、亚光黑、亮光铬

具有抗拉强度、磨损性能强,耐腐蚀,外观精致

功能及用途:适用各种中、高档推拉门、工具箱、配电柜等产品,

主材料: 4# 锌合金









DKS-2



DKS-2-1

Main material: 4 # zinc alloy Surface treatment: Nano matt, matt black, bright chrome Function and use: Suitable for various middle and high-grade sliding doors, tool boxes, power distribution cabinets, etc With tensile strength, strong wear resistance, corrosion resistance, exquisite appearance



拉手限位系列

HANDLE LIMIT SERIES

www.lidalock.com


拉手是装在门窗扇上兼有开启和关闭后紧固作用的装置。

多以铝合金、铜、不锈钢、有机玻璃、塑料等材料制成。形式多样,大小各异。除满足手感舒适和受力合理的要求外,又具有点缀性的装饰效果,故用材和造型根据建筑设计要求选用成品或另行设计。

YUEQING LIDA LOCK CO., LTD.

www.lidalock.com






产品型号	Α	В	C	D	E	F	G	Н	I	J	K
TX80-1	12	12	70	85	43	28	4.2	12	13.5	28	12
TX80-2	18	18	105	127	64	40	3.2	18	14	40	16

主材料:碳钢表面处理: 亮光铬 备注:分左右

Main material: carbon steel Surface treatment: Gloss Chrome Note: About the score







主材料:碳钢 表面处理: 亮光铬 备注:分左右

Main material: carbon steel Surface treatment: Gloss Chrome Note: About the score




TX80-3


拉手限位系列







主材料:碳钢 / SUS 304 表面处理: 镀镍 / 本色 备注:分左右 Main material: carbon steel Surface treatment: chrome plating, bright Note: About the score




主材料:铝合金/塑料表面处理: 纳米喷塑,亚黑

Main material: aluminum alloy / plastic Surface treatment: Nano spray, matt black




LS522-2





主材料:铝合金 / 塑料 表面处理: 纳米喷塑,亚黑 Main material: aluminum alloy / plastic Surface treatment: Nano spray, matt black





主材料:4#锌合金 表面处理: 镀铬

Main material: 4 # zinc alloy Surface treatment: chrome




LS122

YUEQING LIDA LOCK CO., LTD.

LS125-1




LS125-2



主材料:4#锌合金 表面处理: 喷砂镀铬 Main material: 4 # zinc alloy

Surface treatment: Sandblasted chrome



	A=15 H=40	
A3铜(镀铬)	不锈钢	尺寸L
LS507-68	LS507-S68	68
LS507-75	LS507-S75	75
LS507-100	LS507-S100	100
LS507-150	LS507-S150	150

材质:铁、SUS304不锈钢

表面处理: 亮光铬、镜面抛光


Material: Iron, SUS304 stainless steel Surface treatment: Bright chrome, mirror polished




LS507 外螺



LS506-90 LS506-100



LS506-120



A=M6 B=Φ6 C=45 D=Φ11 H=32 E=Φ7 Ts=1~5

尺寸L

90

100

119

135

149

155

160

A3铜(镀铬)

LS506-2=S55

LS506-2=S60

LS506-2=S70

LS506-2=S84

LS506-2=S90

LS506-2=S102


LS506-2=S122

	B=9 C=57.5 D=	
Е=Ф1	1 H=41.5 Ts=1-	-2
A3铜(镀铬)	不锈钢	尺寸L
LS506=90	L506=90	90
LS506=100	LS506=100	100
LS506=119	LS506=119	119
LS506=135	LS506=135	135
LS506=149	LS506=149	149
LS506=155	LS506=155	155
LS506=160	LS506=160	160

材质:铁、SUS304不锈锅
表面处理:
亮光铬、镜面抛光
MAIL THE CHICAGA

Material: Iron, SUS304 stainless steel Surface treatment:

Bright chrome, mirror polished




材质: 锌合金 表面处理: 纳米亚光、喷砂镀铬 Material: Zinc alloy Surface treatment: Nano matt, sandblasted chrome



LS126




CNLD®利达



产品材质: A3 钢 表面处理:

亮光铬

Product material: A3 steel Surface treatment: Gloss Chrome



开孔尺寸/Cut out

产品材质:锌/铝合金

表面处理: 喷砂镀铬


Product material: zinc / aluminum alloy Surface treatment:

Sandblasted chrome




LS003






产品材质:铝表面处理:

Product material: Aluminum Surface treatment: Oxidation





型号	L1	L2	B1	B2	В3	Н
LS012	110	104	43	40	4	21
LS011	110	105	40	34	4	21

主材料:塑料 表面处理:黑色、灰色 结构说明:单孔塑料拉手 Main material: Plastic

Surface treatment: black, gray Structure description: single hole plastic handle



LS011







MS306-1A-1 铜芯 钢

主材料:304不锈钢

表面处理:拉丝、不锈钢本色结构说明:旋转把手60度,实现开启或闭锁


适用门板厚度:1-10mm

Main material: 304 stainless steel

Surface treatment: brushed, stainless steel

Structure description: Rotate the handle 60 degrees to realize opening or closing

Applicable door thickness: 1-10mm



主材料:304不锈钢

表面处理:拉丝、不锈钢本色 结构说明:旋转把手90度,实现开启或闭锁

Main material: 304 stainless steel

Surface treatment: brushed, stainless steel


Structure description: Rotate the handle 90 degrees to realize opening or closing



MS308-3铜芯钢



MS306-2-1 铜芯钢



主材料: 304 不锈钢

表面处理:拉丝、不锈钢本色

结构说明:旋转把手60度,实现开启或闭锁


适用门板厚度:1-4mm

Main material: 304 stainless steel

Surface treatment: brushed, stainless steel

Structure description: Rotate the handle 60 degrees to realize opening or closing

Applicable door thickness: 1-4mm



主材料: 304 不锈钢

表面处理:拉丝、不锈钢本色

结构说明:旋转锁芯90度,实现开启或闭锁

Main material: 304 stainless steel Surface treatment: brushed, stainless steel


Structural description: Rotate the lock cylinder 90 degrees to realize opening or closing



024 钢

CNLD®利达


CL201-1 钢




主材料:304 不锈钢 表面处理:拉丝、不锈钢本色 结构说明:可开启角度130度 Main material: 304 stainless steel

Surface treatment: brushed, stainless steel

Structure description: can be opened at an angle of 130 degrees





主材料:304不锈钢

表面处理:拉丝、不锈钢本色 结构说明:带沉孔和螺柱型,可开启角度 180 度

Main material: 304 stainless steel Surface treatment: brushed, stainless steel

Structure description: with counterbore and stud type, can be opened at 180 degrees

CL016 钢

CL016-A 钢




CL204-3 钢




CL204-2钢



CL204-1 钢






产品型号	L1	L2
CL204-3	50	13
CL204-2	60	18
CL204-1	80	28


主材料: 304 不锈钢 表面处理:拉丝、不锈钢本色

结构说明:带沉孔型,可开启角度180度

Main material: 304 stainless steel Surface treatment: brushed, stainless steel

Structure description: with counterbore, can be opened at 180 degrees





产品型号	L1	L2	D1	D2	H1	H2	G	备注
CL012-60 钢	60	36	Ф8.5	Ф16	86	15	Ф8	SUS304,拉丝
CL012-50 钢	50	30	Ф6.3	Ф12.5	6	11.5	Ф6	SUS304,拉丝
CL012-40 钢	40	25	Ф5.5	Ф9.5	5	9	Φ4	SUS304, 拉丝

主材料:304不锈钢

表面处理:拉丝、不锈钢本色

结构说明: 带沉孔和螺柱型, 可开启角度 180度

Main material: 304 stainless steel Surface treatment: brushed, stainless steel

Structure description: with counterbore and stud type, can be opened at 180 degrees



CL012-40 钢



CL012-50 钢



CL012-60 钢



CNLD®利达


CL218-3A 钢



CL218-2A 钢



CL218-1A 钢




产品型号	Α	В	E	E	G
CL218-1A 钢	36	60	8	15	8
CL218-2A 钢	30	50	6	11.5	6
CL218-3A 钢	25	40	5	9	4

主材料:304不锈钢 表面处理:拉丝、不锈钢本色 结构说明:带螺柱型,开启角度 180 度 Main material: 304 stainless steel

Surface treatment: brushed, stainless steel

Structure description: with stud type, opening angle 180 degrees



***	ĵ.					外形	七万					
产品型号	Α	В	С	D	E	F	G	Н	J	K	L	M
CL023-1 钢	8	20	M5	35	45	60	50	18	Ф8	11	14	18
CL023-2 钢	4	13	M4	22	22	30	22	13	Φ5	8	10	9
CL023-3 钢	4	18.5	M4	27.5	22	30	22	13	Φ5	8	10	14.5

主材料:304不锈钢 表面处理:拉丝、不锈钢本色 结构说明:可开启角度180度 Main material: 304 stainless steel Surface treatment: brushed, stainless steel Structure description: 180 degrees can be opened



CL023-3 钢



CL023-2钢




CL023-1 钢



CL235-1钢




CL235-2钢





主材料: 304 不锈钢 表面处理:拉丝、不锈钢本色 结构说明:带沉孔型,可开启角度180度

Main material: 304 stainless steel Surface treatment: brushed, stainless steel

Structure description: with counterbore, can be opened at 180 degrees







开孔尺寸/Cut out

主材料:304不锈钢 表面处理:拉丝、不锈钢本色 结构说明:旋转锁芯90度,实现开启或闭锁

适用门板厚度:1-5mm

Main material: 304 stainless steel Surface treatment: brushed, stainless steel

Structural description: Rotate the lock cylinder 90 degrees to realize opening or closing

Applicable door thickness: 1-5mm



MS705 三角



MS705 圆芯


MS705 四角






CNLD®利达

CL253-1 钢





沉孔型


表面处理:拉丝、不锈钢本色 结构说明:带沉孔型,开启角度180度

Surface treatment: brushed, stainless steel

Structure description: with counterbore, opening angle 180 degrees

Main material: 304 stainless steel

主材料:304不锈钢





CL226-4钢

主材料:304 不锈钢 表面处理:拉丝、不锈钢本色 结构说明:带沉孔型,可开启角度180度

Main material: 304 stainless steel

Surface treatment: brushed, stainless steel






CL257 钢

主材料: 304 不锈钢 表面处理: 拉丝、不锈钢本色

Main material: 304 stainless steel

Surface treatment: Brushed, stainless steel



主材料:304不锈钢 表面处理:磨砂、不锈钢本色 结构说明:旋转约120度 Main material: 304 stainless steel

Surface treatment: matte, stainless steel Structure description: Rotate about 120 degrees




CL040 钢



CNLD®利达

CL143 钢



主材料: 304 不锈钢


表面处理:拉丝、不锈钢本色结构说明:带沉孔型,可开启角度180度

Main material: 304 stainless steel

Surface treatment: brushed, stainless steel

Structure description: with counterbore, can be opened at 180 degrees





主材料:锌/铝合金,螺丝304不锈钢 表面处理:纳米喷塑,亚黑 结构说明:可开启角度180度

Main material: zinc / aluminum alloy, screws 304 stainless steel Surface treatment: nano-spraying, matte black

Structure description: 180 degrees can be opened













基业不锈钢铰链 1.2-1.5

新基业箱铰链

新型不锈钢铰链









Ф6 225-1 左右插销

Φ5 225-2 左右插销

Φ4 225-3 左右插销

Φ6 225-4 左右插销

Φ8 225 左右插销











Φ4/Φ5Φ/6 两头轴

Φ5/Φ6 225 螺丝型固定插销

弹簧铰链特宽

弹簧铰链 窄 铁 / 不锈钢 弹簧铰链 中宽 铁 / 不锈钢







多媒体铰链

XL-21 暗装动力箱铰链

接地螺母 M6/M8/M10

Φ8/Φ10/Φ12/Φ14/Φ16/Φ18 明装铰链











铁合页

Φ6 活动铰链

Φ5.2活动铰链

桥扣小

桥扣中





桥扣大

1.5 暗铰链 / 不锈钢

CNLD®利达



520 插销

小圆拉手




左右插销大小




4 公分 1.5 暗铰链

















不锈钢明铰链两联 Φ8/Φ10/Φ12/Φ14/Φ16




铁三联 M6/M8 镀铬

大圆拉手



铁三联 Φ18 镀铬

不锈钢三联铰链 M6/M8 外螺



不锈钢三联铰链 M6 内螺





DK611











新型空压机铰链 -1 -2











新型 AE 箱铰链-3



PGL 铰链大



CL252-1/CL252-2 CL252-3



CL238-1



CL253-7

CL238-2



新型 AE 箱铰链-1

新型 AE 箱铰链-2

新型 AE 箱铰链-4

AB 基业铰链

136 135

















螺套8







CL043-1

CL043-2

DK602-1 外露式 (带防松扣型)

DK602-2 外露式 (帯防松扣型)

中间腰孔双支架



边腰孔双支架

螺钉把手 8





DK602-3 隐藏式 (帯防松扣型)

DK602-4 隐藏式 (帯防松扣型)

CL283

新动力箱内铰链

新动力箱外铰链





圆孔单支架









连接件

端子板支架

挂钩螺套

底板支架 垫板

新小型动力箱铰链

柜内照明铰链

非标短双筋铰链

非标 45°小铰链 铁 / 不锈钢

2.0 平板铰链





密封条



老 GGD 门锁











带铜接地

新 GGD 门锁

中间腰孔单支架

三角支架

45° 铰链

PZ30 左右支架

直角铰链

10×30 内六角螺丝



8×25 滚花螺丝







电表箱铁皮兜



2.0 90° 铰链



CL04-1

















定位螺套 20/32(圆子)





www.lidalock.com



TG-00010 二次静插头支架







顶盖支柱 上下门轴 8.3/7.9 定位螺母 20/22(方子)

GCS 配件 GCS Accessories









TG-802 铰链

TG1-3 单元锁钩















铝三通

门轴套、插销



铝单通





三角联接板



TG-803 铰链



TG-804 铰链





TG 底板支架








双小铰链



TG-00013 支架



TG-12003 支架



单大铰链 单片角板

门轴支架 三角支架











GLBK400 006P1 撑板

GLBK400 011P1





TG-12005 支架

TG-12006 支架

TG-12013 支架

GLBK410000 门铰链 MNS

TG-12015 支架

140









GLBK410 005P2 紧固扣





www.lidalock.com









连接小圆角



门铰链 (MNS用)


GLBK410 027R1 铰链



GLBK410 005P1 紧固扣












RG004-1

侧板附件







GLBK400 004P

2压板 (6个厚)



锁止动



1 大门铰链



连接小三角



MNS 并柜螺母



上下总成





RG008



抽屉轮仪表型、轴承型



C型铝三通















高压铝单通



38 型铝三通



威图塑料件 WP007







挂锁1 挂锁2 挂锁3 XGN2 高压铰链 (38型) PZ30 铜端子






RG001-2



www.lidalock.com



RG001-3 RG001-2 RG001-1







RG001-1





前门铰链

后门铰链

前侧门支架(固定柜用)

二代柜门锁与锁杆

MS887-3













操作手柄 箱变铰链 方形多媒体小拉手


圆形多媒体小拉手





1	⊕6 带弯钩锁杆
(2)	⊕6 带轮带弯钩锁杆
(3)	Φ8 带弯钩锁杆
4	GGD 型弯锁杆
(5)	GGD 型直锁杆
(<u>6</u>)	⊕8 带轮锁杆
7	锁杆
8	锁杆
9	锁杆
	Ф8打扁锁杆
10	⊕10 打扁锁杆






















LG001-5


LG002-1


LG002-2

LG003









LG004 LG006 LG007-A LG007-B

NLS

动力柜

NLS

动力柜

1000

1000

900

900

GCK 柜插板眉头

雕刻型眉头

(非标可定制)

激光雕刻型眉头 (非标可定制)

1200

1200

PZ30 规格 导轨长度 (cm)

12 回路

15 回路

18 回路

20 回路

梅兰型导轨

16.5 20.3

24

29.2 34.5

38

1100

基业箱眉头 (非标可定制)(颜色可定制)

1100

电容柜眉头

www.lidalock.com

GGD

XL-21

GGD

XL-21

GCS

800

700

老型 GGD 式眉头 (非标可定制)

NLS

动力柜

弧形铝合金眉头 (非标可定制)(多色可选)

XL-21/GGD 柜插板眉头





电缆夹





圆形线夹

20mm 12mm 10mm

大梯 小梯

分合指示牌

梅兰阻燃支架

JL051

单双层固定件

圆子

电表支架(塑料)

电表支架 (锌合金)

270型

JF5 固定件

JVC 固定件

塑料固定件



按钮复位塞



按钮标字框



挡片



可按客户要求定做	
普通型钢制导轨	
	PZ

2回路

4回路

CNLD®利达

GGD

XL-21



普通型钢铝制导轨



PZ30 左右支架

	型号	包装	型号	包装	型号	包装
	2×10	10m	3×25	10m	5×20	5m
	2×20	10m	3×30	10m	5×25	5m
	3×10	10m	4×20	5m	5×30	5m
-	3×15	10m	4×25	5m		
	3×20	10m	4×30	5m		

单双面胶条

PZ30 规格 导轨长度 (cm)

9.2

13

4回路

6回路

20 回路 41.5

地排

可调节支架







梅兰铜端子座 桥型铜端子

PZ30 箱导轨



型号	包装
Ф3-10mm	1000
Ф12-30mm	1000
Ф35-40mm	500
Ф45mm	200
Ф50mm	500
Ф60mm	400
Ф80mm	100



www.lidalock.com

型号

Ф16-35mm

Ф40-50mm

Ф55mm

Ф60mm

Ф65-70mm

Φ75mm

Ф80mm

Ф90-100mm

Ф100-120mm



包装

1000

500

300

400

300

100

200


150

100



켇 믁	包装
Ф30mm	2000
Ф35-50mm	1000
Ф60-90mm	500
Ф100mm	400
Ф110mm	300
Ф120mm	300
Ф150mm	100

密封条系列







100×70×1.8

77.5×47



90×60×3.0

71×38





59×33









70×42×1.5

合页系列




CNLD®利达

120×78×1.6 99×51



74×52×1.2





105×80×2.0









97×73×1.5

12×58×2.5 Φ18















13×21

34×34.5







37×35×2.0 22.5×23.5



31×20












www.lidalock.com











80×43
















不锈钢排铰



长度×宽度×厚度 (mm)	每件数量 (件)	长度 × 宽度 × 厚度 (mm)	每件数量 (件)
1.8 米 ×1.0 寸 ×0.5	5×20=100	1.8 米×2.0 寸×0.9	4×10=40
1.8 米 ×1.2 寸 ×0.5	5×20=100	1.8 米 ×1.2 寸 ×1.2	2×10=20
1.8 米 ×1.5 寸 ×0.5	5×20=100	1.8 米×1.5 寸×1.2	2×10=20
1.8 米×1.0 寸×0.6	5×20=100	1.8 米×2.0 寸×1.2	2×10=20
1.8 米 ×1.2 寸 ×0.6	5×20=100	1.8 米×2.5 寸×1.2	4×5=20
1.8 米 ×1.5 寸 ×0.6	5×20=100	1.8 米×3.0 寸×1.2	4×5=20
1.8 米×1.0 寸×0.8	3×20=60	1.8米×1.2寸×1.5	2×10=20
1.8米×1.2寸×0.8	3×20=60	1.8米×1.5寸×1.5	2×10=20
1.8 米 ×1.5 寸 ×0.8	3×20=60	1.8米×2.0寸×1.5	4×5=20
1.8 米 ×1.0 寸 ×0.9	3×20=60	1.8米×2.5寸×1.5	4×5=20
1.8 米 ×1.2 寸 ×0.9	3×20=60	1.8 米×3.0 寸×1.5	4×5=20
1.8 米×1.5 寸×0.9	3×20=60		





威图小铰链双孔片

201-2 无孔锁片





026 锁片

201-3 锁片







www.lidalock.com



















202 锁片



301 锁片











301 斜孔拉杆锁片

201-1 有孔锁片




301 正孔拉杆锁片























403 36 长锁片



403 48 长锁片





414 锁片

151 152



705-35 锁片

CNLD®利达



705-35 定位锁片



705-40 弯钩锁片







www.lidalock.com



























































816 长芯子平锁片







813 锁片



小工带附件锁片 T型带耳朵80长锁片 T型双孔 74 长锁片 T型双孔锁片







154 153